



Trim[★]USA[®]

SOLUTIONS



PROVIDING SIGNMAKING AND DIGITAL PRODUCT
SOLUTIONS
TO THE GRAPHIC INDUSTRY SINCE 1978

To Our Valued Customers:

The strength of Trim USA, and the foundation of our success, is our unrelenting commitment to quality products and intensive customer service. Our goal is to understand and meet customers' needs, and identify the right products for their requirements. Because we value lasting partnerships with our customers, we emphasize a "win-win" sales approach, basing every transaction on honesty and integrity. These attributes are critical to the way we do business.

As we grow and expand, we are committed to staying at the forefront of quality, technology and service. We are always looking for ways to do things better, and improve ourselves and our industry. That's the real service we provide to our customers; we take an excellent product and add extra value. As we add new equipment and facilities, one thing always remains the same—our desire to partner with our customers. As your business grows, we want to stand behind you, enabling you to satisfy your customers in turn. In fact, the ultimate measure of our achievement is our ability to contribute to your success.

Best regards,

Rodney Ashby
President of Trim USA, Inc.
Retired



Right: Rodney Ashby, President, Retired
Left: Chris Bowen, Vice President

Our Business Philosophy: We at Trim USA believe business should be done in such a way that everyone associated with Trim USA - customers, vendors, employees, and owners - will benefit.

Major Product Categories

AccuCut®

Solvent Inkjet Media	2
Laminates	4
Pressure Sensitive Films for Plotter Cutting	7
Bigstripe® Custom Stripe	10

3M®

Digital Media	12
Laminates	18
Opaque Graphic Films	21
Wrap Films Series 1080	25
Translucent Graphic Films	26
Light Management Films	28
Reflective Graphic Films	29
Flexible Substrates	32
Application Tapes	33
VHB™ Tapes	34
PPST™ Paint Preparation System	35

LG Hausys

Solvent Inkjet Media	36
Laminates	37
Pressure Sensitive Films for Plotter Cutting	38

Poly Banner

Banner & Flexible Sign Face Material	38
--------------------------------------	----

Siser

Heat Transfer Vinyl	40
ColorPrint Heat Transfer Vinyl	44
Accessories	47

TransferRite®

Application Tape	48
------------------	----

Trim USA® Banner Products

Premium Custom Banner Blanks	50
Roll Goods	52
Economy Banner Blanks	53
Pole Pocket Banner Kits	53

DuraCoat® Thermal Transfer Ribbons

For Gerber Edge®, Edge 2®, Edge FX®	54
-------------------------------------	----

Sign Making Tools & Supplies

Application Tools	56
Sign Making Supplies	56
Magnetic Sheeting	58

Perimeter Trim System®

Machines	59
Lineals	60

Major Vendor Product Locator	61
Index	62-63
General Information	64
Customization & Converting Capabilities	65

SOLUTIONS



ACCUCUT® DIGITAL MEDIA FOR SOLVENT PRINTING

AccuCut® Digital Media offers a wide variety of high-quality media for solvent inkjet digital printing. The following information is designed to be useful in selecting the proper product for your applications which is vitally important for successful printing.

Calendered Vinyl

#8803 3.5 mil Clear Removable

Description: A 3.5 mil clear, high gloss, calendered, PVC vinyl with a low tack removable, acrylic adhesive on a stay flat 90 lb encapsulated liner for solvent inkjet digital printing.

Size
54" x 25yd
54" x 50yd

Uses: For use with solvent inkjet printing. This film is recommended for interior or short-term exterior use and designed for promotional graphics, point of purchase applications, labels, decals, window graphics and bumper stickers that need to be easily applied and removed.

Special Features: Gloss clear, low tack adhesive, easily removed, a 90 lb encapsulated stay flat liner.

Calendered Vinyl

#8804 3.5 mil White Removable

Description: A 3.5 mil gloss white calendered PVC film with a low tack highly removable acrylic adhesive on a 90 lb encapsulated stay flat liner.

Size
54" x 25yd
54" x 50yd

Uses: For use with solvent inkjet digital printing. These films are recommended for temporary use and designed for promotional graphics, point of purchase applications, labels, decals, window graphics and bumper stickers that need to be easily installed or removed.

Special Features: Gloss white with low tack adhesive, easy to apply, easily removed, a 90 lb encapsulated stay flat liner.

Calendered Vinyl with Opaque Adhesive

#8801 3 mil Ultra Smooth

Description: A 3 mil ultra smooth, flexible, white, calendered, PVC vinyl with a pigmented, solvent based, acrylic adhesive with a high level of anchorage to the film for clean removability. It is designed for thermal transfer digital printing. Available in 15" perforated only.

Size
15" x 50yd

Uses: Used with thermal transfer digital printers. This film is recommended for medium to short-term exterior use. Excellent for use on buses, real estate signs, race car graphics, POP displays, and other signage.

Special Features: Ultra smooth face and higher opacity, superior anchorage of thermal transfer resins, adhesive stays with film upon removal, a 90 lb low static encapsulated liner helps the film stay flat and track through printers easily.

Premium Cast Vinyl

#8820 2 mil White

Description: A 2 mil gloss white cast vinyl with a permanent acrylic adhesive on a 90 lb low static, stay flat, encapsulated liner. This film is formulated to optimize solvent inkjet printing. It is a premium, flexible cast vinyl for application to irregular surfaces and for extended outdoor exposure.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: For use with solvent inkjet printing. These films are recommended for long-term exterior use. Excellent for use on buses, real estate signs, race car graphics, fleet, POP displays, and other signage where durability is required.

Special Features: Ultra smooth face, superior anchorage of solvent inks and thermal transfer resins.

Premium Cast Vinyl

#8821 2 mil Clear Ultra Smooth

Description: A 2 mil, clear cast vinyl with a permanent acrylic adhesive on a 90 lb low static, stay flat, encapsulated liner. This film is formulated to optimize solvent inkjet printing. It is a premium, flexible cast vinyl for application to irregular surfaces and for extended outdoor exposure.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: For use with solvent inkjet printing. This film is recommended for long-term exterior use. Excellent for use on buses, real estate signs, race car graphics, fleet, back-lit signage, POP displays and other signage where durability is required.

Special Features: Ultra smooth face, superior anchorage of solvent inks.

Premium Translucent Vinyl

#8825 2 mil White Translucent

Description: A premium 2 mil translucent white, cast vinyl with a permanent acrylic adhesive on a 90 lb low static, stay flat, encapsulated liner. It is designed to be digitally printed and for even light transmission when backlit.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: To produce graphics for awnings, flexible sign face materials, glass, acrylic, and polycarbonates where backlighting illuminates the image.

Special Features: Ultra smooth face, superior anchorage of solvent inks and thermal resins with minimal glare.

Reflective Vinyl – Fleet Grade

#8811 6 mil White

Description: A 6 mil white fleet grade reflective film with a permanent, solvent based, acrylic adhesive on a 90 lb stay flat liner designed for solvent inkjet and thermal transfer digital printing.

Size
15" x 10yd
48" x 10yd
15" x 50yd
48" x 50yd

Uses: For use with thermal transfer and solvent inkjet printing. These films are recommended for long-term exterior use. Excellent for use on buses, real estate signs, race car graphics, point of purchase displays, and other signage where reflectivity and durability are required.

Special Features: Highly reflective, very durable.



Not all sizes listed are in stock. Call for availability.



ACCUCUT® LAMINATING FILMS

offer a wide range of quality laminates which are recommended to be applied to inkjet prints to protect, increase durability, and maintain optimum print quality. The following information will help you select the right laminate, whether it is a simple or demanding application.

Polyester Overlamine

#8831 1 mil Clear

Description: A 1 mil clear polyester overlamine with an acrylic pressure sensitive adhesive on a polyester liner designed to protect and enhance interior digital prints, labels, and decals.

Size
54" x 25yd
54" x 50yd

Uses: Used as an overlamine for digital prints and graphics. These films are recommended for interior, flat surface applications.

Special Features: Clear, protects image.

Calendered Slip Resistant Overlamine

#8836 5 mil Clear

Description: A 5 mil clear calendered PVC overlamine with a permanent acrylic adhesive on a polyester liner that is scuff and slip resistant.

Size
54" x 25yd
54" x 50yd

Uses: Designed to protect graphics that are exposed to a high degree of scuffing and to resist slipping. It is used in the production of floor graphics, POP displays, and other high stress applications.

Special Features: Clear, scuff resistant, slip resistant.

Polypropylene Dry Erase Overlamine

#8834 1 mil Gloss Clear

Description: A 1 mil gloss clear polypropylene overlamine with a permanent acrylic adhesive on a 50 lb glassine liner with dry erase characteristics.

Size
54" x 25yd
54" x 50yd

Uses: Used as a protective overlamine on digital prints, promotional graphics, short-term score and menu boards, labels, coupons, and for dry erase applications.

Special Features: Gloss clear, dry erase properties.

Calendered Overlamine

#8840 3 mil Gloss Clear

Description: A 3 mil gloss clear calendered PVC overlamine with a permanent pressure sensitive acrylic adhesive on a paper liner.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed to protect digital image prints from abrasion, moisture and other environmental exposures. This film is great for exhibits, POP displays, and most instances where an overlamine with a gloss finish is required.

Special Features: Gloss clear, abrasion resistant.

Calendered Overlamine

#8841 3.5 mil Luster Clear

Description: A 3.5 mil luster clear, flexible, calendered, PVC overlamine with an acrylic adhesive on a 50 lb glassine liner designed to provide protection from UV, abrasion, moisture, and other environmental exposures.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for short to medium duration outdoor and longer-term indoor uses where flexibility, durability, and resistance to sunlight are required. This film is excellent for use on retail signage, buses, real estate signs, race car graphics, POP displays, and other signage.

Special Features: Luster clear with low glare, UV protection, abrasion resistant.

Calendered Overlamine

#8837 3.5 mil Matte Clear

Description: A 3.5mil matte clear, flexible, calendered, PVC overlamine with an acrylic adhesive on a glassine liner.

Size
54" x 25yd
54" x 50yd

Uses: For use on short to medium duration outdoor and longer-term indoor where flexibility, durability, and resistance to sunlight are required. Retail Signage, buses, real estate signs, race car graphics, POP displays, and backlit signage.

Special Features: Matte finish reduces glare, economical solution for intermediate applications.

Premium Cast Overlamine

#8843 2 mil Luster Clear

Description: A 2 mil luster clear, flexible, cast, PVC overlamine with a permanent solvent based, acrylic adhesive on a 50 lb glassine liner, designed to provide excellent protection from UV, abrasion, moisture, and other environmental exposures to enhance the weathering of the underlying graphics.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for long-term exterior uses where flexibility, durability, and resistance to sunlight are required. This film is excellent for use on commercial/retail signage, buses, race car graphics, and other signage where flexibility and durability are required.

Special Features: Luster clear, reduces glare, UV protection, very stable, wets out quickly, very flexible.

Premium Cast Overlamine

#8844 2 mil High Gloss Clear on Clear

Description: A 2 mil high gloss clear cast PVC overlamine with an acrylic adhesive enhanced by the smooth polyester liner. This combination keeps the image crisp and clear. This product is manufactured to provide the highest clarity and to provide protection from abrasion, moisture, and other environmental exposures.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for use as a high gloss overlamine for long-term exterior applications. Great when excellent optical clarity, flexibility, durability, and resistance to sunlight are required. This film is excellent for use on commercial/retail signage, buses, real estate signs, race car graphics, fleet and other signage where durability is required.

Special Features: Excellent optical clarity, maximum flexibility, wets out quickly, UV protection, very stable.

Premium Cast Overlamine

#8847 2 mil Matte Clear

Description: A 2 mil matte clear cast PVC overlamine with an acrylic adhesive.

Size
54" x 25yd
54" x 50yd

Uses: Designed for long-term exterior uses where flexibility, durability and resistance to sunlight are required. Excellent for use on commercial and retail signage, buses, real estate signs, race car graphics, fleet and Backlit Signage.

Special Features: Matte finish is perfect for indoor uses or when glare is a concern. Excellent stability on long term signage.

Glitz and Glitter Overlamine

#8845 2 mil Cast with Refractivity

Description: A 2 mil high gloss clear cast PVC overlamine with refractivity and an acrylic adhesive on a smooth polyester liner. This combination is image enhancing and constantly changing to provide a unique appearance. This product is manufactured to provide a metallic paint-like finish to the image and protection from abrasion, ultraviolet light, and other environmental exposures.

Size
30" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
54" x 50yd
60" x 50yd

Check for Availability on Short Rolls.

Uses: Designed for use with high impact digitally printed images on fleet, vehicle wraps, signs, POP, wall graphics and other applications where eye popping results are desired.

Special Features: Glitz and glitter makes your image sparkle, maximum flexibility, wets out quickly, UV protection, very stable.

Polycarbonate Overlamine

#8855 5 mil Clear Velvet

Description: A 5 mil clear velvet polycarbonate overlamine with a permanent UV acrylic adhesive designed to protect graphics exposed to scuffing and high impacts.

Size
60" x 25yd
60" x 50yd

Uses: Designed to protect interior signs, digital prints, displays, POP displays, photos, and interior backlit signs from scuffing and impacts that may damage the image.

Special Features: Clear, UV protection, impact resistant, scuff resistant, adds rigidity.

Polycarbonate Overlamine

#8851 10 mil Clear Velvet

Description: 10 mil clear velvet polycarbonate overlamine with a permanent UV acrylic adhesive designed to protect graphics exposed to scuffing and high impacts.

Size
60" x 25yd
60" x 50yd

Uses: Designed to protect interior signs, digital prints, photos, displays, POP displays, fleet, and interior backlit signs from scuffing and impacts that may damage the image.

Special Features: Clear, UV protection, impact resistant, scuff resistant, adds rigidity.



Premium Cast Opaque Vinyl

2 mil Opaque

Description: A premium, flexible, durable PVC film with a permanent, solvent based, gasoline resistant, acrylic adhesive on a 78 lb kraft paper liner.

Uses: Designed for use on long-term exterior applications such as outdoor signage, fleet, marine, automotive, service station signs and markings. Anywhere extended durability and chemical resistance is required.

Special Features: Brilliant colors with high gloss levels, cuts and weeds easily, gasoline resistant, very durable.

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

261 Black
216 Matte Black
211 Iron Gray
301 Marine Gray
335 Gray
265 White
227 Matte White
200 Clear
217 Oyster
204 Ivory
274 Taupe
205 Primrose Yellow
220 Bright Yellow
273 Yellow
287 Sunflower Yellow
229 Harvest Gold
240 Orange
276 Bright Orange
272 Tangerine
228 Red Hot
277 Tomato Red
279 Fire Red
230 Geranium
224 Arrest Me Red
215 Cardinal Red


278 Dark Red
232 Maroon
289 Burgundy
225 Magenta
308 Purple Passion
207 Regal Purple
244 Light Navy
290 Insignia Blue
245 Cobalt Blue
355 Flex Blue
283 Sapphire Blue
282 Vivid Blue
247 Intense Blue
356 Ball Point Blue
257 Olympic Blue
354 Flutterby Blue
258 Peacock Blue
251 Turquoise Blue
221 Pike Green
254 Leaf Green
297 Forest Green
296 Medium Green
255 Kelly Green
256 Apple Green
271 Brown
267 Mocha Brown
275 Light Adobe
268 Buckskin



ACCUCUT® PRESSURE SENSITIVE FILMS

FOR PLOTTER CUTTING

offer a wide variety of films for sign making. These films are manufactured and stored under the highest quality control standards. Each roll is carefully tested, and detailed measures are taken to assure our customers that they are getting the highest quality product available on the market today. The following descriptions will help you select the correct film for your application.



Premium Cast Metallic Vinyl

2 mil Opaque

Description: A premium, flexible, durable, 2 mil Cast PVC film with a permanent, solvent based, gasoline resistant, acrylic adhesive on a 78 lb kraft liner.

Uses: Designed for use on long-term exterior applications such as outdoor signage, fleet, marine, automotive, service station signs and markings. Anywhere that extended durability and chemical resistance is required.

Special Features: Brilliant metallic colors with high gloss levels, cuts and weeds easily, gasoline resistant, very durable.

263 Dark Charcoal Met
262 Charcoal Met
264 Silver Met
250 Burgundy Met

357 Galaxy Blue Met
298 Autumn Gold Met
299 Gold Met

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Not all sizes listed are in stock. Call for availability.

Actual film color may vary slightly from printed representations.

Premium Cast Ultra Metallic Vinyl

3 mil Opaque

Description: A premium, opaque film with a permanent, solvent based, acrylic adhesive on a 78 lb kraft liner.

Uses: Designed for use on outdoor signage, fleet, marine, automotive, service station markings, POP, trade show graphics and anywhere exciting accents and high impact graphics are needed.

Special Features: Brilliant metallic flakes with high gloss levels, 4 exciting colors.

- 214 Silver
- 311 Black Ice
- 219 Gold
- 381 Ruby Slipper

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Cast Fluorescent Vinyl

2.5 mil Opaque

Description: A flexible 2.5 mil Cast PVC film with fluorescent pigments with a permanent, pigmented, solvent based, acrylic adhesive on a 78 lb kraft liner.

Uses: Designed for use on short-term signage, retail signage, racecar, tradeshow and POP graphics, and anywhere exciting accents and high impact graphics are needed.

Special Features: Flexible, cuts and weeds easily, creates visual excitement, 6 exciting colors.

- 861 Atomic Red
- 859 Don't Shoot Orange
- 862 Tracer Yellow
- 858 Monster Green
- 857 Hawaiian Blue
- 860 Passion Pink

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Cast Neon Vinyl

4.5 mil Opaque

Description: A flexible, Cast PVC film with fluorescent pigments with a permanent, pigmented, solvent based, acrylic adhesive on a 78 lb kraft liner.

Uses: Designed for use on short-term outdoor signage, retail signage, racecar, tradeshow and POP graphics, and anywhere exciting accents and high impact graphics are needed.

Special Features: Flexible, creates visual excitement, 6 exciting colors.

- 561 Atomic Red
- 559 Don't Shoot Orange
- 562 Tracer Yellow
- 557 Hawaiian Blue
- 560 Passion Pink
- 558 Monster Green

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Premium Cast Frosted Vinyl

3 mil Transparent

Description: A 3 mil Cast PVC film with a permanent, solvent based, acrylic adhesive on a 78 lb kraft liner with a special blend of flakes and unique pigments to produce special effects.

Uses: Produces unique graphics for windows, doors, mirrors, room dividers, and backlit signs. Frosted films can also be overlaminated on to other vinyl films to produce unique effects.

Special Features: Unique appearance, ideal for producing special effects on glass, durable.

- 370 Crystal Frosted

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Premium Cast Glass Etch Vinyl

2 mil Transparent

Description: A premium, flexible, 2 mil Cast PVC durable film with a permanent, solvent based, acrylic adhesive on a 78 lb kraft liner.

Uses: Designed to simulate an etched surface on windows, doors, mirrors, and room dividers.

Special Features: Unique etched glass look, cuts and weeds easily, very durable.

- 351 Glass Etch

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Engineer Grade Flexible Reflective Film

5 mil Reflective

Description: An engineer grade film with a solvent based acrylic adhesive on a 90 lb encapsulated liner.

Uses: Designed for use on long-term exterior applications such as outdoor signage, fleet, automotive, service station signs and markings. It is to be used anywhere reflectivity and extended durability is required.

Special Features: Reflective, cuts and weeds easily, flexible, durable.

- 985 Black
- 964 Gold
- 982 Dark Red
- 972 Red
- 914 Orange
- 971 Yellow
- 910 White
- 976 Light Blue
- 975 Blue
- 977 Green

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Calendered Paint Mask Film

3.3 mil

Description: A yellow PVC vinyl paint mask with a temperature resistant, easily removable, acrylic adhesive on a moisture resistant kraft paper liner.

Uses: Excellent for masking backlit, automotive, and some awning surfaces to make ready for painting. This film is conformable and provides clean removability from many metals, plastics, and painted surfaces and is designed for use on smooth surfaces.

Special Features: Conformable, cuts and weeds easily, can be heated to 225°F for up to 20 minutes with minimal effect, easily removes with little adhesive residue.

- 804 Stencil Mask

Size
15" x 10yd
24" x 10yd
30" x 10yd
60" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
60" x 50yd

Metalized Polyester

2 mil Opaque

Description: An opaque polyester film with a permanent acrylic adhesive on a 90 lb kraft liner.


Uses: Designed for short-term exterior signage, decals, racecar graphics, product identification markings, POP, and labels.

Special Features: Printable, opaque.

- 103 Chrome

Size
15" x 10yd
24" x 10yd
30" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
54" x 50yd





**BIG STRIPE
TRUCK GRAPHICS**

ACCUCUT® BIGSTRIPE® ROTARY SLITTING gives you custom rotary slitting up to 30" wide, with capabilities to custom configure single or multi-color, voided, overlaid, butted or overlapped stripes. Use your choice of today's most popular pressure sensitive films such as reflectives, opaques, metallics, and transluents. These stripes are perfect for identifying fleets, railroad cars, boats, police and emergency vehicles, gas station awnings and canopies, decorative interior/exterior walls, and any other applications where big stripes are used. If you have a big job, we have the know how to take it down to size.

STRIPES USING 3M™ MATERIALS ARE ALSO AVAILABLE!



**BUILDINGS
& CANOPIES**




**FUEL PUMP
APPLICATIONS**



**VEHICLE
GRAPHICS**

VOIDED STRIPE



BUTTED STRIPE



OVERLAPPED STRIPE



OVERLAID STRIPE



Made from **AccuCut®** Pressure Sensitive Films.
Quality Solid Stripes with Paper Mask,
off the shelf for your **Everyday** Striping Needs.

AccuCut® BigStripe® Solid Stripes

Stripes 1" Increments up to 30" Wide

Approximate lengths of 150 feet.
Available in:

Black, White & Colors

Reflectives

Ultra Metallics

Transluents

Neons

Fluorescents

Larger sizes are available.
Call 1-800-642-0959 for quotes.

Widths
1/4"
3/8"
1/2"
5/8"
3/4"
1"
1-1/2"
2"
3"
4"
5"
6"
7"
8"
9"
10"
11"
12"





3M™ DIGITAL MEDIA FOR SOLVENT PRINTING

3M™ offers the most innovative digital printing materials available on the market today, allowing you to handle the most demanding customer needs.



3M IJ-180C with
Scotchcal Gloss
Overlaminate 8518

3M™ Digital Media offered by TrimUSA® helps deliver what customers envision: Greater versatility, faster installation, good looks that last longer, and greater visibility.

3M™ Controllac™ Graphic Film

#IJ160-10 4mil Opaque

Description: A 4 mil white opaque, matte face finish, polymeric calendered, PVC vinyl, with Controllac pressure activated gray adhesive, positionable and removable, on a polyethylene-coated layflat liner.

Size
30" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd

Uses: For use with solvent inkjet printing. Ideal for flat surfaces on short to medium-term graphics for fleet or commercial vehicles, indoor or outdoor graphics and signs, and OEM applications that demand slideability.

Special Features: Slideability, repositionable, removable with heat.

3M™ Controllac™ Graphic Film

#IJ162-10 4 mil White Opaque **FOR FLOOR GRAPHICS**

Description: A 4 mil white opaque, matte face finish, polymeric calendered, PVC vinyl, with gray pressure activated removable adhesive, positionable, on a polyethylene-coated layflat liner.

Size
48" x 25yd
48" x 50yd
54" x 50yd

Uses: For use with solvent inkjet printing. Designed for producing premium, removable, indoor floor graphics on most indoor hard surface flooring, including sealed concrete, marble, terrazzo, ceramic, finished wood. Unsuitable for use on playing surfaces such as gymnasium floors or wet surfaces.

Special Features: Slideability, repositionable, excellent hiding power. Use with 3645 Laminare.

3M™ Scotchcal™ Graphic Film with Comply™ Adhesive

#IJ35C-10 3.2 mil White Opaque Gloss
#IJ35C-20 3.2 mil White Opaque Matte

Description: 3.2-mil vinyl film, gloss and matte finishes available, Pressure-sensitive gray permanent adhesive on a polycoated paper liner.

Size
30" x 50yd
54" x 50yd
60" x 50yd

Uses: For inkjet printing with Solvent, UV and Latex Inks and Screen Printing, short to medium term, indoor and outdoor promotional graphics, trade show and point-of-purchase displays, Exhibits and architectural applications. Can be applied to most Smooth, flat and simple curved surfaces.

Special Features: Comply™ Adhesive for fast, easy bubble-free installations, great choice for promotional applications.

3M™ Scotchcal™ Changeable Graphic Film

#IJ3555 4 mil White Opaque

Description: A 4 mil white opaque, matte face finish, polymeric calendered, PVC vinyl, with gray pressure sensitive changeable adhesive, on a polyethylene-coated layflat liner.

Size
30" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd
54" x 100yd

Uses: For use with solvent inkjet printing. Excellent hiding power and a pressure sensitive adhesive that is easy to remove, making it ideal for short-term promotional graphics, fleet or commercial vehicles, emblems or striping, indoor or outdoor graphics and signs, vending or dispensing machines and cooler graphics.

Special Features: Excellent hiding power. Easily removed without heat or chemicals.

3M™ Scotchcal™ Changeable Graphic Film

#IJ36-20 3 mil White Opaque

Description: A 3 mil white opaque, matte face finish, polymeric calendered vinyl, with changeable, pressure sensitive gray adhesive with hiding power, on a layflat polycoated paper liner.

Size
54" x 50yd
61.5" x 50yd
54" x 100yd
61.5" x 100yd

Uses: For use with solvent inkjet printing. Designed where a good quality film is needed for short term, indoor and outdoor promotional graphics. Ideal for flat vehicle graphics, Bus King/Queen/Tail, general signage, and point-of-purchase displays. Can be applied to flat and simple curved surfaces.

Special Features: Applies quickly and removes easily without heat leaving little or no adhesive residue. Excellent imagability. Gray adhesive with hiding power.

3M™ Controllac™ Comply™ Print Film

#40C-10R 3 mil White Opaque Gloss-Removable
#40C-20R 3 mil White Opaque Matte-Removable
#40C-114R 3 mil Transparent Luster-Removable

Description: A 3 mil vinyl, with a pressure-activated adhesive with air release channels on a polyethylene-coated paper liner.

Size
54" x 50yd

40C-10R Gloss White Opaque, gray adhesive
40C-20R Matte White Opaque, gray adhesive
40C-114R Luster Transparent, clear adhesive

Uses: For use with Solvent, Eco-Solvent, UV and Latex Inkjet and Screen Printing, designed where a good, versatile film is needed for general indoor and outdoor promotional graphics or for indoor floor graphics. Can be applied to flat and simple curved surfaces.

Special Features: Air Release technology allows for fast easy, virtually bubble-free graphics applications, reducing the rick application waste. Easy removal with heat.

3M™ Scotchcal™ Changeable Graphic Film

#IJ46-20 4 mil White Opaque

Description: A 4 mil white opaque, matte face finish, polymeric calendered vinyl, with removable, gray, pressure sensitive, comply adhesive on a layflat polycoated paper liner.

Size
30" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd

Uses: For use with solvent inkjet printing. Ideal where a good, short term, versatile film is needed for fleet vehicle graphics, bus wraps, general signs, point of purchase displays. Can be applied to flat and simple curved surfaces. Not recommended for vehicle wraps or compound curve applications where film stretching is required.

Special Features: Conformable. Gray adhesive with hiding power. Excellent choice for bus wraps.

3M™ Envision™ Print Film

#48C-20R

Description: A 3.3 mil, white, non-PVC film with a matte finish, with pressure activated gray adhesive, with air channels on a polyethylene-coated paper liner.

Size
54" x 50yd

Uses: For use with Solvent, UV, and Latex Inkjet Printing and UV Screen Printing. For indoor and outdoor general intermediate signage, interior and exterior building windows and dividers, glass and smooth walls, short-term floor graphics (with appropriate graphic protection), truck graphics on flat or simple curved areas, partial vehicle wraps on flat or simple curved areas.

Special Features: Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning, non-visible air release channels for fast and easy, bubble-free installations. Removable (may require heat). Non-PVC film. Contains no added chlorine or halogens.

3M product features presented in this catalog had originated from the most current 3M Product and Instruction Bulletins available at the time of publication, which is subject to change. For current product information, consult with your Trim USA Sales Representative or refer to the 3M Product and Instruction Bulletins found at: www.3Mgraphics.com.

3M™ Controllac™ Graphic Film

#IJ180-10 2 mil White Opaque

Description: 2 mil, white Cast vinyl film with a luster finish, with a Controllac™ pressure activated gray adhesive, positionable and removable with heat, on a polyethylene-coated layflat liner.

Uses: For use with Solvent inkjet, UV, and Latex inkjet printing. Long-term durable and removable film with excellent hiding power and stability, perfect for indoor and outdoor graphics, signs and fleet graphics, including surfaces with corrugations and rivets, bus graphics and emblems. This original film is optimal for trailer & box trucks.

Special Features: Great versatility along with repositionable, pressure activated adhesive, excellent hiding powers, flexible, removable with heat and/or chemicals.

Size
54" x 25yd
30" x 50yd
36" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd
48" x 100yd
54" x 100yd
60" x 100yd

3M™ Controllac Graphic Film

#IJ180-SLS Stainless Steel Surface

Description: 2 mil, white vinyl film, Pressure-activated adhesive for easy sliding, tacking, snap-up and repositioning. Permanent film.

Uses: For Solvent, UV, and Latex Inkjet printing and Cut Graphics. Specifically formulated for use on stainless steel, indoor and outdoor stainless steel applications, indoor and outdoor graphics and signs, commercial vehicle and fleet graphics, emblems or striping, bus graphics, standard vehicle graphics.

Special Features: Specifically formulated for use on stainless steel. Flexible, conforms to moderate curves, corrugations and rivets.

Size
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Graphic Film with Comply™ Adhesive

#IJ180C-10 2 mil White Opaque

Description: 2 mil, White Cast vinyl film with a luster finish, with a Controllac™ and Comply™ pressure activated gray adhesive with air channels, positionable and removable with heat, on a polyethylene-coated layflat liner.

Uses: For use with solvent inkjet, UV, and latex inkjet printing. Long-term durable and removable film with excellent hiding power and stability, perfect for indoor and outdoor graphics, signs, vehicle wraps and fleet graphics, including surfaces with corrugations and rivets, bus graphics and emblems.

Special Features: The combined features of Controllac™ and Comply™ adhesive technologies, including pressure activation, slideability, repositionability and air release channels, allowing for fast and easy bubble-free graphic installations. Great versatility along with repositionable, pressure activated adhesive, excellent hiding powers, flexible, removable with heat and/or chemicals.

Size
30" x 25yd
54" x 25yd
30" x 50yd
36" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd
48" x 100yd
54" x 100yd
60" x 100yd

3M™ Controllac Graphic Film

#IJ180C-LSE Low Surface Energy

Description: 2-mil, opaque white film designed to adhere to Low Surface Energy (LSE) plastics, High tack pressure-activated adhesive, Permanent, features a layflat liner.

Uses: For Solvent, UV, and Latex Inkjet Printing. Multicolor graphics including labels, emblems, and striping, Small format original equipment manufacturer's (OEM) decorative and identification graphics, cautionary, safety and vandal-resistant labeling.

Special Features: Designed to adhere to rigid low energy surfaces such as plastics including polyethylene and polypropylene and powder-coated paints.

Size
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Controllac™ Graphic Film with Comply™v3 Adhesive

#IJ180Cv3-10 2 mil White Opaque

Description: 2 mil, White Cast vinyl film with a luster finish, with a Controllac™ and Comply™v3 pressure activated gray pigmented adhesive with non-visible air channels, positionable and removable with heat, on a polyethylene-coated layflat liner.

Uses: For use with Solvent inkjet, UV, and Latex inkjet printing. Long-term durable and removable film with excellent hiding power and stability, perfect for indoor and outdoor graphics, signs, vehicle wraps and fleet graphics, including moderate compound curved, corrugated and riveted surfaces.

Special Features: Provides the ultimate in air release-ability, combined with a smooth appearance and non-visible air channels. No adhesive curing time minimizes vehicle off road time, pigmented adhesive provides excellent hiding power, no edge lifting, shrinking or cracking. Conformable on many difficult surfaces. Removable with heat and/or chemicals.

Size
30" x 50yd
36" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd
48" x 100yd
54" x 100yd
60" x 100yd

3M™ Print Wrap Film with Micro Comply™ Adhesive

#IJ180mC-10 2 mil White Opaque

Description: 2 mil, White Cast vinyl film with a luster finish, a Comply™ adhesive with micro technology, pressure activated gray pigmented adhesive with non-visible air channels, slideable and removable with heat, on a polyethylene-coated layflat liner.

Uses: For use with Solvent inkjet, UV, and Latex inkjet printing. Great for indoor and outdoor graphics, signs, vehicle wraps, bus graphics, and fleet graphics, including moderate compound curved, corrugated and riveted surfaces.

Special Features: Provides the ultimate in air release-ability, combined with a smooth appearance and non-visible air channels. Excellent hiding power and stability. Removable with heat and/or chemicals.

Size
30" x 25yd
48" x 25yd
54" x 25yd
60" x 25yd
30" x 50yd
36" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Print Wrap Film with Micro Comply™ Adhesive

#IJ180mC-120 2 mil Silver Metallic

Description: 2 mil, Metallic Silver Cast vinyl film with a luster finish, a Comply™ adhesive with micro technology, pressure activated silver adhesive with non-visible air channels, slideable and removable with heat, on a polyethylene-coated layflat liner.

Uses: For use with Solvent inkjet, UV, and Latex inkjet printing. Great for indoor and outdoor graphics, signs, vehicle wraps, bus graphics, and fleet graphics, including moderate compound curved, corrugated and riveted surfaces.

Special Features: Provides the ultimate in air release-ability, combined with a smooth appearance and non-visible air channels. Removable with heat and/or chemicals.

Size
48" x 25yd
54" x 25yd
60" x 25yd
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Print Wrap Film with Micro Comply™ Adhesive

#IJ180mC-114 2 mil Transparent

Description: 2 mil, Transparent Cast vinyl film with a luster finish, a Comply™ adhesive with micro technology, pressure activated clear adhesive with non-visible air channels, slideable and removable with heat, on a polyethylene-coated layflat liner.

Uses: For use with Solvent inkjet, UV, and Latex inkjet printing. Can be used for 2 way emblems on windows (excluding buses or other vehicles). Great for indoor and outdoor graphics, signs, vehicle wraps, and fleet graphics, including moderate compound curved, corrugated and riveted surfaces.

Special Features: Provides the ultimate in air release-ability, combined with a smooth appearance and non-visible air channels. Removable with heat and/or chemicals.

Size
48" x 25yd
54" x 25yd
60" x 25yd
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Print Wrap Ultra Removable

#IJ180mC-10UR

Description: 2 mil, white, opaque, luster finish, vinyl film with a gray pigmented adhesive. Pressure activated adhesive system for repositioning and Comply™ with Micro Technology for bubble free installations. Removable without heat and/or chemical, on a polyethylene-coated paper liner.

Uses: For Solvent, UV, and Latex Inkjet Printing, Shorter term options, Indoor and outdoor signs, emblems or striping, Vehicle and fleet graphics, emblems or striping, Vending or dispensing machine and cooler graphics.

Special Features: Installs fast, changes out in a flash. This ultra-removable print wrap film comes off quickly and cleanly every time you need to shift gears. Removes cleanly without heat or chemicals. Slideability fine-tuned for wraps. Initial tack optimized for wraps. Comply™ Adhesive with micro technology provides excellent air release with a smooth appearance. Stretch 130% without primer, no lifting. Easier liner release.

Size
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Envision Print Wrap Film

#LX480mC - Latex Printers

#SV480mC - Solvent Printers

Description: A 2mil white non-PVC film with luster finish. A pressure activated, gray, repositionable, Comply™ adhesive with micro-technology air channels, on a polyethylene-coated liner.

Uses: Fleet, vehicle, transit graphics and wraps, emblems or striping, Rail cars and lead cars of trains, light rail and subways, non-vertical and horizontal vehicle wraps, watercraft graphics (above the static water line only) and transit when protected with overlamine 8528, 8548G, or 8549L, smooth and textured walls graphics, Indoor and outdoor graphics and signs, including point-of-purchase and displays.

- Use LX480mC with Latex Inkjet Inks
- Use SV480mC with Solvent Inkjet Inks
- Use LX480mC or SV480mC with UV Inkjet or Screen Print Inks

Special Features: Non-visible air release channels for fast and easy, bubble-free installations, Many finished graphic constructions can be stretched up to 150%, Flexible, highly conformable over compound curves, corrugations, deep channels, and rivets, and requires less heat during application than vinyl films, Removable with heat and/or chemicals, Non-PVC, phthalate-free film.

Environmental Benefits:

- Non-PVC, phthalate-free film
- Contains no added chlorine or halogens
- LX480mC, 8548G, and 8549L made in part from bio-based materials
- Manufactured using 58% less solvent

Size
54" x 25 yd
60" x 25 yd
54" x 50 yd
60" x 50 yd

3M™ Scotchcal™ Graphic Film

#IJ3650-10 2 mil White Opaque

Description: A 2 mil white opaque, luster finish Cast PVC vinyl with gray pressure sensitive, permanent adhesive, on a polyethylene-coated paper liner.

Uses: For use with solvent inkjet printing. Excellent choice for permanent, medium-term graphics and signs. Single panel, vertical graphics for indoor or outdoor opaque graphics, signs and markings. Unsuitable for fleet graphics or corrugated surfaces.

Special Features: Reliable permanent cast film for medium-term signs and graphics.

Size
30" x 50yd
48" x 50yd
54" x 50yd
60" x 50yd

3M™ Controltac™ Changeable Graphic Film with Comply™ Adhesive
#IJ3552C 2 mil White Opaque

Description: A 2 mil white opaque, luster face finish, cast, PVC vinyl, with Controltac and Comply pressure activated gray adhesive with air release channels, positionable and changeable, on a polyethylene-coated layflat liner.

Size
48" x 50yd
54" x 50yd

Uses: For use with solvent inkjet printing. Ideal for graphics up to 12 months as "wrap" advertising and 24 months for general fleet or sign use, commercial vehicles and indoor or outdoor graphic applications, emblems and striping automobiles, vans, buses, vending or dispensing machines.

Special Features: The combined features of Controltac and Comply adhesive technologies, including pressure activation, slideability, repositionability and air release channels, allowing fast and easy bubble-free graphic installations. The ultimate in removability. Use this for vehicle wraps when you still need slideability, repositionability and air release.

3M™ Scotchcal™ Translucent Graphic Film
#IJ3630-20 2 mil White Translucent

Description: A 2 mil white translucent, matte finish PVC vinyl with clear pressure sensitive, permanent adhesive, on a synthetic layflat liner.

Size
48" x 50yd
54" x 50yd
60" x 50yd

Uses: For use with solvent inkjet printing. Used for indoor or outdoor use on internally-illuminated vertical sign faces. Ideal for flat, medium-term, backlit and thermoformed sign faces, awnings, and windows.

Special Features: A synthetic layflat liner that is not affected by water or humidity. Create vibrant backlit graphics with this durable translucent film.

3M™ Envision™ Translucent Film
#IJ3730-50
#IJ3730-60

Description: 2-mil, white translucent film, matte surface finish, pressure sensitive, permanent adhesive, clear, synthetic liner.

Size
54" x 50yd

- IJ3730-50 allows 52% ± 2% light transmission with LED applications
- IJ3730-60 allows 63% ± 2% light transmission with LED applications

Uses: For Solvent, UV, and Latex Inkjet Printing and Cut Graphics, For indoor or outdoor use on internally-illuminated sign faces or general digital print graphics, LED applications, adheres to rigid and flexible substrates.

Special Features: Matte surface finish eliminates glare and provides uniform color in reflected and transmitted light. The clear, synthetic liner makes immediate proofing possible.

3M™ Scotchcal™ Graphic Film
#IJ3650-114 2 mil Transparent

Description: A 2 mil transparent Cast PVC vinyl with clear pressure sensitive, permanent adhesive, on a polyethylene-coated paper liner.

Size
48" x 50yd
54" x 50yd
60" x 50yd

Uses: For use with solvent inkjet printing. Excellent choice for permanent, medium-term graphics and signs. Single panel, vertical graphics for indoor or outdoor translucent graphics and signs for windows, two-way graphics, and backlit graphics.

Special Features: Excellent resistance to water (this does not include immersion). Reverse image on this clear film for second surface graphics.

3M™ Perforated Window Graphic Film
#8170-P50 50% perforation pattern
#8170-P40 40% perforation pattern

Description: A 4 mil white opaque on the image side, black on the reverse side, high gloss finish, cast vinyl with clear pressure sensitive adhesive, removable adhesive on a polyethylene-coated paper with continuous, non-perforated paper liner.

Size
36" x 10yd
36" x 50yd
54" x 10yd
54" x 25yd
54" x 50yd

Uses: For use with solvent, UV and latex Inkjet printing, and solvent and UV screen printing. This film allows a full image to be seen on the outside of a window while allowing viewing through architectural and non-regulated windows from the inside. Shorter term overlaminated graphics for transparent substrates such as bus windows and store windows.

Special Features: A 50% perforation pattern enhances light transmission. Great conformity and durability on vehicle wrap windows and non-regulated vehicles. A 40% perforation pattern allows more surface area for printing. Great for store front windows.

3M™ Scotchcal™ Graphic Film for Textured Surfaces
#IJ8624 2 mil White Opaque

Description: A 2 mil white opaque, PVC vinyl, with removable, gray, pressure sensitive adhesive on a polyethylene-coated layflat liner.

Size
54" x 25yd
54" x 50yd

Uses: For use with solvent inkjet printing. This conformable graphic solution can be molded to textured surfaces to create crisp, digitally-printed images. When heated and applied with 3M's application tools and techniques, this film conforms to moderately textured surfaces, on both flat and curved substrates, to most indoor and outdoor painted concrete block, brick, industrial stucco and tile similar to those surfaces commonly found in sports arenas, stadiums, restaurants, retail and other public venues.

Special Features: Gray pigmented adhesive effectively hides the original wall color. Recommend 8524 laminate.

3M™ Scotchlite™ Reflective Graphic Film
#IJ5000 5 mil White Reflective

Description: A 5 mil white, retroreflective luster face finish vinyl, with white pressure sensitive permanent adhesive, on a polyethylene-coated layflat paper liner.

Size
24" x 50yd
48" x 50yd

Uses: For use with solvent inkjet printing and screen printing. Perfect choice for short-term promotional messages, emblems, commercial vehicle markings, stickers, and non-regulated industrial signage. Apply to flat surfaces, with or without rivets, and simple curves.

Special Features: Durable & flexible with superior angularity.

3M™ Scotchlite™ Reflective Graphic Film
#IJ5100R 6 mil White Reflective-Removable

Description: A 6 mil white, retroreflective luster face finish vinyl, with white pressure sensitive removable adhesive, on a polyethylene-coated layflat paper liner.

Size
48" x 25yd
30" x 50yd
48" x 50yd

Uses: For use with solvent inkjet printing and screen printing. Ideal for use on leased fleets or shorter-term graphics, warning emblems and stickers, non-regulated industrial signage, non-backlit signage. Apply to flat surfaces, with or without rivets, and simple curves.

Special Features: Highly resistant to cracking and peeling. Durable. Removable with heat from painted flat surfaces.

3M™ Scotchlite™ Reflective Graphic Film
#IJ680-10 7 mil White Opaque

Description: A 7 mil white enclosed lens, flexible, retroreflective with a luster face finish and silver backing, PVC vinyl, with clear pressure activated permanent adhesive, on a polyethylene-coated layflat liner.

Size
36" x 25yd
48" x 25yd
36" x 50yd
48" x 50yd

Uses: For use with solvent inkjet printing. Medium to long-term durable film designed for vertical commercial vehicle graphics, vertical indoor and outdoor signage, railroad graphics, corrugated surfaces and striping. Unsuitable for permanent, regulatory traffic signs.

Special Features: Similar daytime and nighttime appearance. Excellent angularity. Retains 90% of its retroreflectivity when totally wet. 3M's slideable and repositionable, pressure-activated adhesive to aid in large graphic applications.

3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive
#IJ680CR-10 7 mil White Reflective

Description: A 7 mil white enclosed lens, flexible, retroreflective with a luster face finish and silver backing, PVC vinyl, with Controltac and Comply pressure activated clear adhesive with air release channels, positionable and removable, on a polyethylene-coated layflat liner.

Size
36" x 10yd
48" x 10yd
36" x 25yd
48" x 25yd
36" x 50yd
48" x 50yd

Uses: For use with solvent inkjet printing. Medium to long-term durable film designed for vertical commercial vehicle graphics, vertical indoor and outdoor signage, railroad graphics, corrugated surfaces and striping. Unsuitable for permanent, regulatory traffic signs.

Special Features: Premium reflective graphic film offers day-and-night visibility & features slideability, repositionability, & bubble-free installation. Removable with heat.

3M™ Scotchlite™ Print Wrap Film
#780mC-10R

Description: A 6.6-mil, white, flexible, enclosed lens, retroreflective, pressure-activated with air release channels adhesive system on a polyethylene-coated liner.

Size
48" x 25yd
48" x 50yd

Uses: For Solvent, UV, and Latex Inkjet printing and Screen Printing, Wraps for vehicles, straight trucks, semi-trucks and semi-trailers, Horizontal vehicle wraps when protected with 3M overlaminates 8528, 8548G, 8549L, Smooth and textured wall graphics, indoor and outdoor signs, including point-of-purchase and displays, Bus graphics, Small format original equipment manufacturer's (OEM) decorative and identification graphics, cautionary and safety labeling.

Special Features: Flexible, conforms to compound curves, corrugations, and rivets, Excellent retroreflectivity at wider viewing angles, Includes Comply™ Adhesive for fast, easy bubble-free installations.



3M™

3M™ OVERLAMINATES FOR GREATER PROTECTION

3M™ offers customers a variety of graphic protection options— from graffiti protection and self cleaning, to slip resistance and high gloss. You will benefit from high conformability, flexibility, and easy application!

3M™ Scotchcal™ Luster Overlamine

#3645 8 mil Luster FOR FLOOR GRAPHICS

Primary Application: Slip-Resistant Floor Graphics Overlamine

Description: An 8 mil luster clear cast PVC overlamine with permanent, pressure sensitive, clear adhesive on a 78# kraft paper liner.

Uses: Designed specifically for floors to provide a slip-resistant surface for selected 3M films (Film Series 162) for indoor floor graphics, certain vertical graphics, and graphics applied to areas of higher than normal wear.

Special Features: A thick, scuff-resistant, slip-resistant, durable overlamine. May be scrubbed, cleaned and waxed during routine floor maintenance.

Size
48" x 10yd
54" x 25yd
36" x 50yd
48" x 50yd
54" x 50yd

3M™ Scotchcal™ Matte Overlamine

#3647 19 mil Matte FOR SIDEWALK GRAPHICS

Primary Application: Sidewalk Graphics Overlamine

Description: A 19 mil clear overlamine with permanent, pressure sensitive, clear adhesive on a 58# polycoated kraft paper liner.

Uses: Exterior, short-term, screen printed graphics. 3M™ Scotchcal™ Matte Overlamine is intended for use with 3M™ Scotchcal™ Graphic Film 3662-10 in the making of Scotchprint® Graphics for Sidewalk Signs. Not suitable for exposure to vehicle traffic, snow shovels, and heavy equipment.

Special Features: Durable, scuff-resistant, slip-resistant. Excellent resistance to wear from high foot traffic.

Size
48" x 10yd
48" x 25yd
48" x 50yd

3M™ Scotchcal™ Gloss Overlamine


#8508 2.3 mil Gloss

Description: A 2.3mil clear overlamine, cast for intermediate graphics, with a gloss face, permanent, pressure sensitive clear adhesive on a kraft paper liner.

Uses: Suitable for application surfaces that are flat or have simple curves, for use on intermediate graphics, Transit, Labels, Signage, Smooth Walls, Windows and Glass.

Special Features: Suitable overlamine for a wide range of applications.

Size
54" x 50yd
61" x 50yd



3M Scotchcal Translucent Graphic Film IJ3630-20 and 3M Scotchcal Matte Overlamine 8520

3M™ Scotchcal™ Luster Overlamine

#8509 3 mil Luster

Description: A 3 mil clear overlamine, polymeric calendered vinyl, luster face finish, with permanent, pressure sensitive, clear adhesive on a 78# bleached kraft paper liner.

Uses: Ideal for fleet vehicle graphics, bus wraps, general signs, point of purchase displays, banner, and smooth wall surfaces. Can be applied to flat and simple curved surfaces. Not recommended for vehicle wraps or compound curve applications where film stretching is required.

Special Features: Suitable overlamine for a wide range of applications.

Size
54" x 50yd
61" x 50yd
54" x 100yd
61" x 100yd

3M™ Scotchcal™ Gloss Overlamine

#8518 2 mil Gloss

Description: A 2 mil gloss clear cast PVC overlamine with permanent, pressure sensitive, clear adhesive on a polyester liner.

Uses: To enhance gloss and provide additional ultraviolet and durable physical protection for selected digitally-imaged graphic constructions. Ideal for fleet, vehicle wraps, transit buses, warning and informational labels, backlit and thermoformed signage, and walls.

Special Features: High gloss in a highly conformable, UV protection overlamine.

Size
54" x 25yd
36" x 50yd
48.5" x 50yd
54" x 50yd
60" x 50yd
54" x 100yd
60" x 100yd

3M Scotchcal Perforated Window Graphic Film and 3M Scotchcal Matte Overlamine 8520



3M™ Scotchcal™ Luster Overlamine

#8519 2 mil Luster

Description: A 2 mil luster clear cast PVC overlamine with permanent, pressure sensitive, clear adhesive on a 78# kraft paper liner.

Uses: To provide additional ultraviolet and durable physical protection for selected graphic constructions. Ideal for fleet, vehicle wraps, transit buses, warning and informational labels, backlit and thermoformed signage, awnings, banners, and walls.

Special Features: Industry standard for a flexible, conformable, UV protection, cast overlamine.

Size
36" x 25yd
54" x 25yd
36" x 50yd
48.5" x 50yd
54" x 50yd
60" x 50yd
48.5" x 100yd
54" x 100yd

3M™ Scotchcal™ Matte Overlamine

#8520 2 mil Matte

Description: A 2 mil matte clear cast PVC overlamine with permanent, pressure sensitive, clear adhesive on a 78# kraft paper liner.

Uses: To provide additional ultraviolet and durable physical protection for selected graphic constructions. Ideal for fleet, vehicle wraps, transit buses, warning and informational labels, backlit and thermoformed signage, awning, banner, and walls.

Special Features: Matte finish is perfect for indoor use or when glare is a concern. UV protection.

Size
36" x 25yd
54" x 25yd
36" x 50yd
48.5" x 50yd
54" x 50yd
60" x 50yd
54" x 100yd

3M™ Décor Overlamine

#8600M-101 Classic Linen 3.5 mil

#8600M-102 Knit 2.5 mil

#8600M-201 White Fir 2.5 mil

#8600M-301 River Bed 2.5 mil

#8600M-401 Plaster 2.5 mil

Description: 3.5 mil on the 8600M-101 Classic Linen, all others are 2.5 mil, Cast Vinyl, Matte finish, on a kraft liner.

Uses: Embossed overlamines are used to add texture to graphic films, guard against scuffs and are cleanable, Recommended for printed graphics installed on smooth, interior walls.

Special Features:

Classic Linen: Effortlessly fresh, with a crisp, uniform pattern

Knit: Mimics fabric, making any space more comforting

White Fir: A deep woodgrain texture for a stylish finish

Riverbed: Versatile stone texture with calming appeal

Plaster: A subtle leather texture to add sophistication

Size
60" x 25yd
60" x 50yd

3M™ Scotchcal™ Luster Overlamine

#8524 2 mil Luster FOR TEXTURED WALL SURFACES

Primary Application: Textured Surfaces Overlamine

Size

30" x 50yd
54" x 50yd

Description: A 2 mil luster clear cast PVC overlamine with permanent, pressure sensitive, clear adhesive on a 78# kraft paper liner.

Uses: Ideally suited for indoor and outdoor textured wall surfaces when used on 3M films that are specifically designed to conform with heat to moderately textured surfaces, providing better handling and removal characteristics.

Special Features: Durable protection. Recommended to use with IJ8624.

3M™ Envision Overlamine

#8548 2 mil Gloss

#8549 2 mil Luster

Description: A 2 mil, Non-PVC, wrap overlamine. Gloss on a polyester liner, Luster on kraft paper liner.

Size

54" x 25yd
60" x 25yd
54" x 50yd
60" x 50yd

Uses: Suitable for application surfaces that are flat, flat with rivets, corrugated, simple curves, compound curves, or deep channels and concave surfaces. Fleet, vehicle wraps, watercraft, transit, labels, thermoformable, signage, awning, smooth walls/textured walls and surfaces, windows and glass. For inkjet printed films IJ180, IJ180C, IJ180Cv3, LX480Cv3, SV480Cv3.

Special Features: Exceptional conformability and lifting resistance, less prone to scratching, superior UV protection, longer term vertical durability, horizontal warranty.

3M™ Scotchcal™ Luster Overlamine

#8908 2.5 mil Luster

Description: A 2.5 mil luster clear cast polyolefin overlamine with permanent, pressure sensitive, clear adhesive on a 78# kraft paper liner.

Size

54" x 50yd
54" x 100yd

Uses: To protect indoor and outdoor short-term sign graphics (except banners and most fleet graphics) where a luster finish is desired. Change or enhance the gloss of a graphic. Ideal for non-backlit signage.

Special Features: Luster face finish.

3M™ Scotchcal™ Matte Overlamine

#8909 2.5 mil Matte

Description: A 2.5 mil matte clear cast polyolefin overlamine with permanent, pressure sensitive, clear adhesive on a 78# kraft paper liner.

Size

54" x 50yd
54" x 100yd

Uses: To protect indoor and outdoor short-term sign graphics (except banners and most fleet graphics) where a matte finish is desired. Change or reduce the gloss of a graphic. Ideal for non-backlit signage.

Special Features: Matte face finish.

3M™ Scotchcal™ Optically Clear Overlamine

#8914 2.5 mil Optically Clear FOR PERFORATED WINDOW GRAPHICS

Primary Application: Perforated Window Graphic Film Overlamine

Size

36" x 10yd
48" x 10yd
54" x 10yd
54" x 25yd
36" x 50yd
48" x 50yd
54" x 50yd

Description: A 2 mil gloss optically clear cast PVC overlamine with permanent, pressure sensitive, optically clear adhesive on a polyester liner.

Uses: Designed specifically for use with 3M™ Scotchcal™ Perforated Window Graphic Films (IJ8171) to protect the graphic from environmental factors such as dust, water and dirt that may collect in the perforated areas. Use on window graphics where optical clarity is required. Ideal for fleet, vehicle wraps, transit buses, and windows.

Special Features: Provides an optically-clear view through a graphic from inside a building or vehicle. Conformable.

3M™ 8900 Overlamine

Description: PVC Cast Overlamine. Brushed at 2.5 mil, Carbon Fiber at 3.5 mil, Sunburst Gold, Ruby Red I, Mystic Silver, Starry Silver, and Frosty Silver all at 2 mil, kraft paper liner.

Size

60" x 25 yd

Uses: Use these products to enhance the appearance and durability of your printed graphics or solid films: 8900-BR100 gives the underlying film/graphic a brushed metal appearance. 8900-CF100 gives the underlying film/graphic a carbon fiber appearance. Fleet/vehicle, vehicle wraps. Watercraft, Transit, labels, smooth walls.

Special Features: As an overlamine giving the surface added protection, Horizontal Warranty, create textures you want in any color or digital print. You are able to simultaneously offer a unique effect.

#8900-BR100 Brushed
#8900-CF100 Carbon Fiber
#8900-G304 Sunburst Gold
#8900-G303 Ruby Red
#8900-G301 Mystic Silver
#8900-G701 Starry Silver
#8900-S701 Frosty Silver

Use the Knifeless Tape to make custom designs, avoid damaging knife cuts, increase productivity. See Sign Making Tools and Supplies on page 58 for Knifeless Tape options.



3M Scotchcal ElectroCut Graphic Film Series 7125



3M™
3M™ OPAQUE
GRAPHIC FILMS
FOR OPAQUE SUBSTRATES

3M™ graphic films for opaque substrates offer a wide variety of graphic solutions: Bright consistent colors, subtle variations, or the sparkle of a metallic. Each family of films has special characteristics designed to maximize its effectiveness for its intended application. 3M™ also offers custom color matching to help reproduce any color you need. Refer to the chart below to assist in selecting the best product for your application.

3M™ Opaque Graphic Films

Product Selection

CALL 1-800-642-0959 FOR QUOTES.

Applications	Series 7125	Series 7725	Series 180mC	Series 3500C	Series 3690
Vehicle Graphics					
- Flat or Flat with Rivets	X	X	X	X	
- Corrugations with Rivets			X		
O.E.M.					X
Striping	X	X			
Transit Advertising				X	
Bumper Stickers				X	
P.O.P. Displays	X	X		X	
Changeable Graphics				X	
Signs	X	X	X		X
Awnings (non-backlit)	X	X			
Window Graphics	X	X			
Electronically Cut Graphics	X	X	X		
Emblems	X	X	X		X
Labels	X	X	X		X
Nameplates	X	X			X
Clear Labels	X	X	X		

Not all sizes listed are in stock. Call for availability.

3M™ Scotchcal™ ElectroCut™ Graphic Film
7125 Series

Description: A 2 mil opaque or transparent (see color chart), high gloss cast vinyl, same color on both sides, with permanent pressure sensitive clear solvent acrylic adhesive on a white kraft paper liner. White(10) and Matte White(20) are on a blue paper liner for easier visibility when weeding.

Uses: For Electronic Cutting, Thermal Transfer Printing and Screen Printing. Ideal for vehicle or fleet graphics, interior and exterior signs, banners, emblems, labels, nameplates, striping, POP displays, general signage, and two-way window markings. Apply to flat surfaces with or without rivets, or simple curved surfaces.

Special Features: Premium paper liner offers cost savings over synthetic liner. High-tack adhesive holds well to the liner for improved weeding. Available in 84 colors.

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

7125 and 7725 Series available in the following colors:

10 White	46 Kelly Green	89 Sandstone	186 Bright Green
11 Pearl Grey	47 Intense Blue	90 Antique White	187 Wedgewood Blue
12 Black	48 Purple	91 Dove Gray	196 Apple Green
13 Tomato Red	49 Beige	93 Imperial Red	197 Light Navy
14 Bright Orange	53 Cardinal Red	96 Teal	201 Slate Metallic
15 Bright Yellow	54 Light Orange	97 Soft Blue	211 Charcoal Metallic
16 Khaki Green	56 Dark Green	98 Dark Violet	217 Dark Blue Metallic
17 Vivid Blue	57 Olympic Blue	99 Fawn	227 Bright Blue Metallic
19 Deep Mahogany Brown	58 Burgundy	101 Nimbus Gray	229 Copper Metallic
20 Matte White	59 Putty	103 Magenta	239 Chocolate Brown Metallic
22 Matte Black	61 Mid Gray	105 Harvest Gold	241 Gold Metallic
23 Deep Red	63 Geranium	107 Light Blue	243 Steampunk Red Metallic
24 Terra Cotta	64 Apricot	114 Transparent	247 Petroleum Blue Metallic
25 Sunflower	65 Light Lemon Yellow	117 Persian Blue	249 Champagne Metallic
27 Indigo	66 Forest Green	120 Satin Aluminum	263 Perfect Match Red
29 Russet Brown	69 Duranodic	121 Light Gray	273 Process Magenta
31 Medium Grey	74 Red Orange	127 Boat Blue	276 Bottle Green
37 Sapphire Blue	77 Peacock Blue	131 Satin Gold	293 Atomic Red
38 Royal Purple	78 Plum	136 Lime Green	307 Dark Aqua
39 Tan	81 Stone Gray	151 Traffic Gray	357 Bermuda Blue
41 Dark Grey	86 Robin Egg Blue	177 Shadow Blue	397 Dark Blue

3M™ Scotchcal™ ElectroCut™ Graphic Film
7725SE Series - Fluorescent

Description: A 3.25 mil opaque, gloss face finish, cast, PVC vinyl, with permanent pressure sensitive gray solvent acrylic adhesive on a 78# white silicone-coated kraft paper liner.

Uses: For Electronic Cutting or Screen Printing. Designed to provide high attention value under poor visibility, particularly at dawn or dusk with prespaced and electronically-cut or screen printed graphics. High visibility and weather resistant graphics, such as safety label decals and commercial signage. Apply to flat surfaces (with or without rivets) such as glass, acrylic, polycarbonate, aluminum and painted metal.

Special Features: Extremely conspicuous colors in daylight.

Size
24" x 10yd
48" x 10yd
24" x 50yd
48" x 50yd

7725-404 Fluorescent Yellow-Orange
7725-405 Fluorescent Yellow
7725-406 Fluorescent Green
7725-413 Fluorescent Fuchsia
7725-414 Fluorescent Red-Orange

Actual film color may vary slightly from printed representations shown.

3M™ Scotchcal™ ElectroCut™ Graphic Film
7725 Series

Description: A 2 mil opaque or transparent (see color chart), high gloss cast vinyl, same color on both sides, with permanent pressure sensitive clear solvent acrylic adhesive on a transparent synthetic liner.

Uses: For Electronic Cutting, Thermal Transfer Printing and Screen Printing. Ideal for commercial and industrial graphic applications, emblems, vehicle graphics, labels, striping, general signage, and two-way window markings. Apply to flat surfaces with or without rivets, or simple curves.

Special Features: Transparent synthetic liner resists moisture absorption and static buildup, lays flat for easier assembly of multicolor graphics, and allows superior cutting and weeding. Available in 84 colors.

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

3M™ Scotchcal™ Graphic Film
3470 / 3475 4 mil

Description: A 4 mil opaque white (3470) or black (3475) matte PVC vinyl, with removable pressure sensitive gray adhesive on a polyethylene-coated paper liner.

Uses: For Screen Printing Only. Medium-term, durable and removable films ideal for indoor and outdoor signs, commercial vehicle, transit or fleet graphics, emblems or striping. Vending or dispensing machines and cooler graphics.

Special Features: Excellent hiding power and stability.

Size
48" x 10yd
24" x 50yd
36" x 50yd
48" x 50yd

Size
48" x 10yd
24" x 50yd
48" x 50yd

3M™ Controltac™ Plus Changeable with Comply™ Adhesive
3500C Series

Description: A 4 mil white opaque, matte face finish, PVC vinyl, with Controltac and Comply pressure activated gray-pigmented adhesive with air release channels, positionable and removable, on a 94# polyethylene-coated layflat paper liner.

Uses: For Screen Printing Only. Ideal for short-term removable graphics for fleet, transit or commercial vehicles, emblems, striping, indoor or outdoor graphics and signs, vending or dispensing machine and cooler graphics. Apply to flat surfaces, with or without rivets.

Special Features: Combined features of Controltac and Comply adhesive technologies, including pressure activation, slideability, repositionability and air release channels, allows for fast and easy bubble-free graphic installations. Easily removed without heat or chemicals.

Size
48" x 10yd
48" x 50yd

3M Controltac Plus
Changeable with
Comply Adhesive 3500C



Actual film color may vary slightly from printed representations shown.

3M™ Controltac™ Graphic Film with Comply™ Adhesive
180mC Series

Description: 2mil cast gloss opaque or transparent (see color chart) vinyl with pressure activated grey or clear (see color chart) adhesive with non-visible air release channels on a polyethylene-coated paper liner.

Uses: For electronic cutting and screen printing only. Indoor and outdoor graphics and signs, including point-of-purchase and displays, Commercial vehicles, straight trucks, semi-trucks and semi-trailers, emblems or striping, Bus graphics, Rail car graphics, Transparent film color 114 can be used for two-way emblems for windows, except on buses or other vehicles, Small format original equipment manufacturer's (OEM) decorative and identification graphics, cautionary and safety labeling, Flat, with and without rivets, simple curves, compound curves, and corrugations.

Special Features: Features non-visible air release channels for fast and easy, bubble-free graphic installations Removable with heat and/or chemicals from most substrates.

Size
15" x 10yd
24" x 10yd
30" x 10yd
36" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
36" x 50yd
48" x 50yd

10 White	89 Sandstone*
11 Pearl Grey*	90 Antique White
12 Black	91 Dove Gray*
13 Tomato Red	93 Imperial Red
14 Bright Orange	96 Teal*
15 Bright Yellow*	97 Soft Blue
16 Khaki Green	98 Dark Violet*
17 Vivid Blue	99 Fawn*
19 D. Mahogany Brown	101 Nimbus Gray*
20 Matte White*	103 Magenta*
22 Matte Black*	105 Harvest Gold*
23 Deep Red	107 Light Blue*
24 Terra Cotta*	114 Transparent*
25 Sunflower*	117 Persian Blue
27 Indigo	120 Satin Aluminum
29 Russet Brown	121 Light Gray
31 Medium Grey*	127 Boat Blue
37 Sapphire Blue	131 Satin Gold*
38 Royal Purple*	136 Lime Green*
39 Tan	151 Traffic Gray*
41 Dark Grey*	177 Shadow Blue*
46 Kelly Green	186 Bright Green*
47 Intense Blue	187 Wedgewood Blue*
48 Purple*	196 Apple Green*
49 Beige	197 Light Navy*
53 Cardinal Red	201 Slate Metallic*
54 Light Orange	211 Charcoal Metallic*
56 Dark Green	217 Dark Blue Metallic*
57 Olympic Blue	227 Bright Blue Metallic*
58 Burgundy*	229 Copper Metallic*
59 Putty*	239 Chocolate Brown Metallic*
61 Mid Gray	241 Gold Metallic*
63 Geranium*	243 Steampunk Red Metallic
64 Apricot*	247 Petroleum Blue Metallic*
65 Light Lemon Yellow*	249 Champagne Metallic
66 Forest Green*	263 Perfect Match Red
69 Duranodic*	273 Process Magenta_
74 Red Orange*	276 Bottle Green*
77 Peacock Blue	293 Atomic Red*_
78 Plum*	307 Dark Aqua*
81 Stone Gray	357 Bermuda Blue*
86 Robin Egg Blue*	397 Dark Blue*

* Indicates clear adhesive, all other adhesive is gray-pigmented.
_ Indicates minimal or no hiding power.

3M™ Scotchcal™ Graphic Film

3690 Series

Description: (3690-10) A 2 mil white opaque, PVC vinyl with aggressive, permanent, pressure sensitive gray-pigmented adhesive on a white kraft paper liner.

(3690-12) A 2 mil black opaque, PVC vinyl with aggressive, permanent, pressure sensitive gray-pigmented adhesive on a white kraft paper liner.

Uses: For Screen Printing Only. A premium, screen printable film, ideal for moderately-rough surfaces and some low surface energy materials. Use for multicolor graphics including labels, emblems, striping, OEM decorative and identification graphics, cautionary, safety and vandal-resistant labeling. Apply to flat or moderate compound curves, with or without rivets.

Special Features: Designed with gray adhesive for good hiding power. Withstands severe weather and handling conditions.

3690-10
Size
24" x 50yd
36" x 50yd
48" x 50yd
24" x 100yd

3690-12
Size
48" x 50yd
Minimum Order Applies. Call Trim USA for Details.

3M™ Scotchcal™ Graphic Film

#3662-10 2 mil White Opaque FOR SIDEWALK GRAPHICS

Description: A 2 mil white opaque cast vinyl, with gray pigmented pressure sensitive, positionable and removable adhesive on a polyethylene-coated layflat paper liner.

Uses: For Screen Printing Only. Designed for making short term graphics that are applied to flat, unsealed, outdoor floor, sidewalk, or pavement traffic surfaces including asphalt, concrete, paving bricks, as well as selected smooth to rough wall surfaces. Use for directional, promotional, or informational signs at fairs, trade shows, retail outlets, entertainment and sports venues, convention centers, private businesses, schools, public buildings, and special events such as parades and marathons.

Special Features: Durable with excellent hiding power. Good resistance to dirt and wear from high foot traffic areas. Removable without heat or chemicals up to three months when used for sidewalk signs. Recommended laminate 3647.

Size
48" x 25yd
48" x 50yd



Not all sizes listed are in stock. Call for availability.



3M™ WRAP FILM SERIES 1080

Anything but ordinary. Meet the standard in wrap films. 3M™ Wrap Film Series 1080 is a distinctive way to make you — and your car — stand out in the crowd. Create a look that says you set your own course with 3M™ Wrap Film Series 1080. Choose from a variety of finishes, textures and colors that offer a unique, head-turning look.

3M™ Wrap Film

1080 Series

Description: Cast vinyl, variety of colors and textures, 3.5 mil (maybe a slight variance depending on design), Pressure-activated, slideable, repositionable with air release channels, gray adhesive on a polyethylene-coated paper liner.

Uses: Solid color vehicle detailing, standard vehicle graphics, detailing and decoration, multiple layers of graphics, commercial vehicle and fleet graphics, emblems or striping, watercraft graphics applied above the static water line only, hoods, roofs, trunk lids, bumpers, door panels, racing stripes, exterior mirror covers, wrap the entire vehicle!

Special Features: Ready to use no printing, no overlamine, open the box and start wrapping. Great Handling - the 3.5 mil dual cast film provides just the right amount of rigidity with no application tape. Slideable and repositionable pressure-activated adhesive with non-visible air release channels for virtually no air bubbles. 60" wide rolls mean you can cover entire sections.

Size
60" x 5yd
60" x 10yd
60" x 25yd
60" x 50yd

	Matte Black M12
	Matte Deep Black M22
	Matte Charcoal Metallic M211
	Matte Dark Gray M261
	Matte Silver M21
	Matte Gray Aluminum M230
	Matte Brown Metallic M209
	Matte Copper Metallic M229
	Matte White M10
	Matte Red M13
	Matte Riviera Blue M67
	Matte Red Metallic M203
	Matte Royal Purple M38
	Matte Pink M103
	Matte Orange M54
	Matte Yellow M15
	Matte Pine Green Metallic M206
	Matte Blue Metallic M227
	Matte Indigo M27
	Matte Military Green M26
	Satin Smoldering Red S363
	Satin Canyon Copper S344
	Satin Bitter Yellow S335
	Satin Apple Green S196
	Satin Sheer Luck Green S336
	Satin Ocean Simmer S327
	Satin Perfect Blue S347
	Satin Frozen Vanilla SP240
	Satin Gold Dust Black SP242
	Satin Vampire Red SP273
	Satin Thundercloud S271
	Satin Caramel Luster SP59

	Satin Mystique Blue S378
	Satin White S10
	Satin Pearl White SP10
	Satin Battleship Gray S51
	Satin Dark Gray S261
	Satin Black S12
	Satin White Aluminum S120
	Satin Flip Glacial Frost SP277
	Satin Flip Caribbean Shimmer SP276
	Satin Flip Volcanic Flare SP236
	Gloss White G10
	Gloss Light Ivory G79
	Gloss Gold Metallic G241
	Gloss Sky Blue G77
	Gloss Atlantis Blue G327
	Gloss Atomic Teal G356
	Gloss Kelly Green G46
	Gloss Green Envy G336
	Gloss Lemon Sting G335
	Gloss Bright Yellow G15
	Gloss Sunflower G25
	Gloss Bright Orange G54
	Gloss Burnt Orange G14
	Gloss Liquid Copper G344
	Gloss Fiery Orange G364
	Gloss Hot Rod Red G13
	Gloss Dark Red G83
	Gloss Dragon Fire Red G363
	Gloss Red Metallic G203
	Gloss Hot Pink G103
	Gloss Raspberry Fizz G323
	Gloss Fierce Fuchsia G348

	Gloss Lipstick Red GP243
	Gloss Black Cherry GP293
	Gloss Plum Explosion GP258
	Gloss Wicked GP298
	Gloss Boat Blue G127
	Gloss Deep Blue Metallic G217
	Gloss Blue Raspberry G378
	Gloss Cosmic Blue G377
	Gloss Intense Blue G47
	Gloss Blue Metallic G227
	Gloss White Aluminum G120
	Gloss Sterling Silver G251
	Gloss Anthracite G201
	Gloss Charcoal Metallic G211
	Gloss Midnight Blue GP272
	Gloss Black Rose GP99
	Gloss Ember Black GP282
	Gloss Black Metallic G212
	Gloss Black G12
	Gloss White Gold Sparkle GP240
	Gloss Ice Blue G247
	Gloss Flip Electric Wave GP287
	Gloss Flip Deep Space GP278
	Gloss Flip Psychedelic GP281
	Carbon Fiber Black CF12
	Carbon Fiber Anthracite CF201
	Carbon Fiber White CF10
	Brushed Black Metallic BR212
	Brushed Steel BR201
	Brushed Titanium BR230
	Brushed Aluminum BR120
	Brushed Gold BR241

Use the Knifeless Tape to make custom designs, avoid damaging knife cuts, increase productivity. See Sign Making Tools and Supplies on page 58 for Knifeless Tape options.

3M™
3M™ TRANSLUCENT
GRAPHIC FILMS
FOR SIGNAGE

3M™ Translucent Graphic Films and 3M™ Light Management Films provide a wide range of product offerings to ensure your color images make a lasting impression, day or night. The chart below is designed to help identify the specific films available for your application. Before making your final film selection, always refer to 3M™ Product Bulletins or contact your TrimUSA Sales Representative to be sure your selection is best suited for your application.



*3M Scotchcal Translucent
Graphic Film Series 3630*

3M™ Translucent Graphic Films

Product Selection

CALL 1-800-642-0959 FOR QUOTES.

Applications	3M™ Scotchcal™ Films			3M™ Light Management Films	3M™ Envision™ Translucent Films	3M™ Envision™ Diffuser Films
	Series 3630	Series 3632GPS	Series 7725SE	Series 3635	Series 3730	Series 3735
Internally Illuminated Signs	X	X		X	X	X
Point of Purchase Displays	X		X	X	X	
Window Graphics	X	X	X	X	X	X
Illuminated Awnings	X	X			X	X
Electronically Cut Graphics	X	X	X	X	X	X
Graphic Protection System		X			X	
Light Source: Fluorescent Bulbs	X	X		X		
Light Source: LED Bulbs					X	X

3M™ Envision™ Translucent Film

3730 Series

Description: A 2 mil translucent, matte surface finish, cast PVC vinyl, with clear permanent adhesive on a translucent synthetic liner.

Uses: For screen-printing, electronic cutting and thermoforming. Ideal for internally-illuminated signs where crisp, clear colors are required. Indoor or outdoor use on internally-illuminated signs, first surface application, thermoforming with rigid plastic surfaces. Compatible with flexible signs facing and rigid substrates such as flat acrylic, polycarbonate, PETG sheets and glass. For use with LED applications.

Special Features: Matte surface finish eliminates glare and provides color uniformity in both reflected and transmitted light. Reduced color fading. Corporate special colors are available.

	3730-33L Red	<div>Size</div> <div>48" x 50yd</div>
	3730-73L Dark Red	
	3730-53L Cardinal Red	
	3730-43L Light Tomato Red	
	3730-44L Orange	
	3730-125L Golden Yellow	
	3730-015L Yellow	
	3730-35L Light Gold	
	3730-22L Black	
	3730-20L White	
	3730-36L Blue	
	3730-97L Bristol Blue	
	3730-127L Intense Blue	
	3730-137L European Blue	
	3730-157L Sultan Blue	
	3730-167L Bright Blue	
	3730-337L Process Blue	
	3730-26L Green	
	3730-156L Vivid Green	
	3730-106L Brilliant Green	

Not all sizes listed are in stock. Call for availability.

3M™ Scotchcal™ Translucent Graphic Film

3630 Series

Description: A 2 mil translucent, matte face finish, cast PVC vinyl, with clear permanent pressure sensitive adhesive on a translucent synthetic liner.

Uses: For Screen Printing, Electronic Cutting and Thermoforming. Ideal for internally-illuminated signs where crisp, clear colors are required. Indoor or outdoor use on internally-illuminated signs, first surface application, thermoforming with rigid plastic surfaces. Compatible with flexible sign facing and rigid substrates such as flat acrylic, polycarbonate, PETG sheet, and glass.

Special Features: Matte surface finish eliminates glare and provides color uniformity in both reflected and transmitted light. Reduced color fading. Corporate special colors are available.

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

	3630-005 Ivory		3630-106 Brilliant Green
	3630-015 Yellow		3630-108 Pink
	3630-20 White		3630-109 Light Rust Brown
	3630-22 Black*		3630-115 Lt. Lemon Yellow
	3630-25 Sunflower		3630-116 Bright Jade Green
	3630-26 Green		3630-118 Intense Magenta
	3630-33 Red		3630-121 Silver
	3630-36 Blue		3630-125 Golden Yellow
	3630-43 Lt. Tomato Red		3630-126 Dark Emerald Green
	3630-44 Orange		3630-127 Intense Blue
	3630-49 Burgundy		3630-128 Plum Purple
	3630-51 Silver Gray		3630-129 Bronze
	3630-53 Cardinal Red		3630-131 Gold Metallic
	3630-57 Olympic Blue		3630-133 Raspberry
	3630-59 Dark Brown		3630-136 Lime Green
	3630-61 Slate Gray		3630-137 European Blue
	3630-63 Rust Brown		3630-141 Gold Nugget
	3630-68 Rose Mauve		3630-143 Poppy Red
	3630-69 Duranodic*		3630-146 Light Kelly Green
	3630-71 Shadow Gray		3630-147 Light European Blue
	3630-73 Dark Red		3630-149 Light Beige
	3630-74 Kumquat Orange		3630-156 Vivid Green
	3630-75 Marigold		3630-157 Sultan Blue
	3630-76 Holly Green		3630-167 Bright Blue
	3630-78 Vivid Rose		3630-236 Turquoise
	3630-83 Regal Red		3630-246 Teal Green
	3630-84 Tangerine		3630-317 Evening Blue
	3630-87 Royal Blue		3630-337 Process Blue
	3630-97 Bristol Blue		

* This film is effectively opaque for most sign uses.

Available only in 48" x 50yd size:

3630-111 Dover White	3630-297 Twilight Blue
3630-124 Burnt Orange	3630-316 Jade Green
3630-135 Yellow Rose	3630-37 Sapphire
3630-144 Poppy Orange	3630-38 Fuchsia
3630-158 Bright Violet	3630-39 Warm Beige
3630-163 Scarlet	3630-47 Patriot Blue
3630-187 Infinity Blue	3630-56 Glacial Green
3630-196 Forest	3630-77 Indigo
3630-216 Blue Coral	3630-86 Blue Lagoon
3630-217 Deep Sea Blue	3630-93 Fire Engine Red
3630-227 Azure	3630-98 Electric Pink
3630-27 Electric Blue	3630-235 Autumn Yellow
3630-276 Kentucky Blue Grass	3630-328 Berry Burgundy
3630-287 Marine Blue	























3M™ Scotchcal™ Translucent Film

3632GPS Series

Description: A 2 mil translucent, matte face finish, cast PVC vinyl, with protective GPS (Graphic Protection System) top coat, clear permanent pressure sensitive adhesive on a translucent synthetic liner.

Uses: Designed for making permanent, durable graphics for interior and exterior use on internally-illuminated sign faces and awnings. For first surface application to 3M Panaflex Awning and Sign Facing 945GPS. For thermoforming with rigid plastic surfaces. Apply to flat surfaces without rivets.

Special Features: 3632GPS is the same durable, dimensionally-stable, cast vinyl film as Series 3630, with the addition of the dirt-resisting Graphic Protection System (GPS) top coat for increased durability and cleanability. Low gloss surface eliminates glare and provides a uniform color in reflected and transmitted light.

	3632-20 White		3632-76 Holly Green
	3632-22 Black*		3632-83 Regal Red
	3632-25 Sunflower		3632-87 Royal Blue
	3632-26 Green		3632-97 Bristol Blue
	3632-33 Red		3632-015 Yellow
	3632-36 Blue		3632-126 Dk Emerald Green
	3632-43 Lt Tomato Red		3632-127 Intense Blue
	3632-44 Orange		3632-157 Sultan Blue
	3632-49 Burgundy		3632-156 Vivid Green
	3632-53 Cardinal Red		3632-167 Bright Blue
	3632-73 Dark Red		3632-246 Teal Green

* This film is effectively opaque for most sign uses.

3M™ Scotchcal™ ElectroCut™ Graphic Film

7725SE Series

DUSTED CRYSTAL: 2 mil uniform appearance of etched glass.

FROSTED CRYSTAL: 3.8 mil uniform appearance of sand-blasted glass.

Description: A matte textured face finish, cast, PVC vinyl, with permanent pressure sensitive clear solvent acrylic adhesive on a transparent synthetic liner.

Uses: For Electronic Cutting Only. Designed to create unique, special effects for prespaced and electronically-cut graphics, window graphics and internally-illuminated graphics. Apply to flat surfaces such as glass, acrylic, or polycarbonate.

Special Features: Low gloss to eliminate glare. Transparent synthetic liner which resists moisture absorption and static buildup for easier cutting and assembly. Economical way to create the look and texture of etched or sand-blasted glass when applied to clear surfaces.

	7725-314 Dusted Crystal		7725-326 Frosted Mint
	7725-323 Frosted Rose		7725-327 Frosted Blue Mist
	7725-324 Frosted Crystal		7725-331 Frosted Gold

Actual film color may vary slightly from printed representations shown

3635 & 3735 SERIES OF LIGHT MANAGEMENT FILMS

Each category of 3M™ 3635 Series Light Management Films has different properties to control light or to achieve special effects for various types of internally-illuminated signs. Before making your final film selection, always refer to 3M™ Product Bulletins or contact your Trim USA Sales Representative to be sure your selection is best suited for your application.



3M™ Blockout Film

3635-20B/22B Light Management Film

3635-20B: Uniformly white on face side with a matte surface; Uniformly black on adhesive side.

Size
48" x 10yd
48" x 50yd

3635-22B: Uniformly black on face side with a matte surface; Uniformly white on adhesive side.

Description: Film with permanent pressure sensitive clear adhesive on a 78# white kraft paper liner.

Uses: Blocks light transmission when applied to internally illuminated signs and enhances a neon-type effect when used on the second surface of clear acrylic. Use as first or second application surfaces, except not for use on second surface of 3M™ Panagraphics PGIII and 3M™ Envision™ Flexible Substrate FS-1. Apply to flat acrylic, polycarbonate, PETG.

Special Features: Completely block the transmission of light.

3M™ Diffuser Film

3635-30/70 Fluorescent Light Management Film

3735-50/60 LED Light Management Film

3635-30: 42% Fluorescent light transmission
3635-70: 65% Fluorescent light transmission
3735-50: 52% LED light transmission
3735-70: 63% LED light transmission

Size
48" x 10yd
48" x 50yd

Description: 2 mil, white color, uniform in reflective and transmitted light, permanent pressure sensitive clear adhesive, 78lb kraft paper liner.

Uses: Provides light diffusion to control light or achieve special effects on internally-illuminated signs. May be thermoformed. First surface applications must be completely covered by another layer of UV-resistant film. Not for use on 3M™ PGIII Panagraphics or 3M™ Envision™ Flexible Substrate FS-1. Apply to flat acrylic, polycarbonate, or PETG.

Special Features: Can eliminate the need for spray painting and provides a smooth, evenly illuminated appearance to the completed face. Available in four light transmission levels.

3M™ Day/Night Film

3635-91 Light Management Film

Description: A smoke gray color film with permanent pressure sensitive clear adhesive on 78# white kraft paper liner.

Size
48" x 10yd
48" x 50yd

Uses: Specially formulated to produce the appearance of dark graphics during the day, and white or colored graphics at night on internally-illuminated signs. First or second surface application. Not for use on 3M™ Panagraphics PGIII and 3M™ Envision™ Flexible Substrate FS-1. Apply to flat acrylic, polycarbonate, PETG.

Special Features: Day/Night film flexibility.

3M™ Light Enhancement Film

3635-100 Light Management Film

Description: A 5.5 mil, white, matte finish, calendered PVC vinyl, blue polyethylene protective covering, with permanent pressure sensitive clear solvent acrylic adhesive on a 78# white kraft paper liner.

Size
48" x 10yd
48" x 50yd

Uses: This thermoformable, light-enhancing film is designed for backlit sign applications to improve sign brightness while reducing energy costs. Intended for covering all interior opaque surfaces within single-sided, internally illuminated cabinets, such as: signs, light boxes, channel letters, POP or trade show displays, posters and informational graphics light boxes, transit shelter advertising boxes, menu board display boxes, vending or dispensing machines, and ATM's. Apply to bare aluminum, galvanized sheet metal, painted metal, rigid plastics.

Special Features: Reduces hot spots. 94% plus reflectivity increases light output for greater sign luminance. Low light absorption increases efficiency. Protective top covering for clean fabrication. 5.5 mil construction for easy handling.

3M™ Dual-Color Film

3635-210 Light Management Film-White

3635-222 Light Management Film-Black

Description: A 5.5 mil perforated film in your color choice (white or black), matte surface with pressure sensitive adhesive, on a white kraft paper liner.

Size
48" x 10yd
48" x 50yd

Uses: Use dual-color film to create the special effect of a color/image by day (non lighted) and a different color by night (backlit). First or second surface application to acrylic, polycarbonate, channel letters, sign faces and displays as permanent dual-color backlit applications. Designed to be used with 3M™ Scotchcal™ Translucent Graphic Film Series 3630.

Special Features: Two components of this unique film contribute to providing maximum color clarity and backlit brightness both day and night: The dual-color perforation pattern and the light management adhesive. Achieved when a background color/image glows through the perforations in the dual color film. Custom colors are available with minimum special order.

3M™ REFLECTIVE GRAPHIC FILMS FOR PLOTTER CUTTING AND SCREEN PRINTING

3M™ offers a wide variety of graphic films for reflective solutions that can be digitally printed or screen printed quickly and easily. Specific applications require specific levels of brightness. Refer to the chart below to assist in selecting the best product for your application.

FOR TRAFFIC, FLEET, ROADSIGNS, SAFETY AND INDUSTRIAL SIGNAGE.



3M Removable Reflective Film with Comply Adhesive 680CR



3M™ Reflective Graphic Films

Product Selection

CALL 1-800-642-0959 FOR QUOTES.

Applications	Series 5100R	Series 680	Series 680CR	Series 3990	Series 983	Series 1170
Vehicle Graphics						
- Flat or Flat with Rivets	X	X	X			
- Corrugations with Rivets		X	X			
Reflective Vehicle Markings	X	X	X			
Truck Conspicuity					X	
Striping	X	X	X		X	
Bumper Stickers	X		X			
Signs	X	X	X	X		X
Railroad Graphics		X	X			
Rail Car Conspicuity					X	
Internally Illuminated Signs						X
Emblems	X	X	X			
Labels						
Nameplates						
IMAGING:						
Electronically Cut Graphics	X	X	X			X
Ink Jet Printed Graphics	X	X	X			
Screen Printed Graphics	X	X	X	X		
Thermal Transfer Printed Graphics	X					

3M™ Removable Scotchlite™ Reflective Graphic Film

5100R 6 mil

Description: A 6 mil, removable, retroreflective vinyl, with pressure sensitive white adhesive, on a polyethylene-coated layflat liner.

Uses: For Screen Printing. Ideal for short and medium-term emblems, commercial vehicle or fleet graphics markings, bus graphics, stickers and non-regulated industrial signage. Apply to flat surfaces, with and without rivets; simple curves.

Special Features: Superior nighttime and daytime visibility. Warranted removability. Multiple colors. Highly resistant to fading, cracking and peeling. Great versatility along with repositionable, pressure activated adhesive.

5100R-10 White	5100R-72 Red
5100R-64 Gold	5100R-75 Blue
5100R-71 Yellow	5100R-76 Light Blue
	5100R-85 Black

Size
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

3M™ Scotchlite™ Reflective Graphic Film

680 7 mil

Description: A 7 mil, enclosed lens, retroreflective vinyl, slideable and repositionable with pressure activated, permanent clear adhesive with silver underneath, on a polyethylene-coated paper liner.

Uses: For Screen Printing and Electrostatic Imaging. Long term, durable film designed for multi-color commercial vehicle graphics, railroad graphics, commercial signs, and striping. Vertical indoor and outdoor graphics. Apply to flat surfaces, with and without rivets; moderate curves; corrugations. Unsuitable for permanent, regulatory traffic signs.

Special Features: Excellent conformability to simple curves. Pressure activated adhesive to aid in large graphic application. Similar daytime and nighttime appearance. Excellent angularity. Retains 90% of its retroreflectivity when totally wet.

681-10 White	680-76 Light Blue
680-14 Orange	680-77 Green
680-64 Gold	680-81 Lemon Yellow
680-71 Yellow	680-82 Ruby Red
680-72 Red	680-85 Black
680-75 Blue	680-91 School Bus Yellow

Check for
Availability of Size
in Desired Color.

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

3M Scotchlite Reflective Graphic Film Series 5100R



Actual film color may vary slightly from printed representations shown.

3M™ Removable Reflective Film with Comply™ Adhesive

680CR 7 mil

Description: A 7 mil, enclosed lens, retroreflective vinyl, with Controllac and Comply pressure activated clear removable adhesive with silver underneath, with air release channels, slideable and repositionable, on a polyethylene-coated paper liner.

Uses: For Screen Printing and Electrostatic Imaging. Long term, durable film designed for multi-color commercial vehicle graphics, railroad graphics, commercial signs, and striping. Vertical indoor and outdoor graphics. Apply to flat surfaces with and without rivets, moderate curves, and corrugations. Unsuitable for permanent, regulatory traffic signs.

Special Features: The combined features of Controllac and Comply adhesive technologies, including pressure activation, slideability, repositionability and air release channels, allowing fast and easy bubble-free graphic installations. Easily removable with heat from most substrates. Similar daytime and nighttime appearance. Excellent angularity. Retains 90% of its retroreflectivity when totally wet.

681CR-10 White	680CR-76 Light Blue
680CR-14 Orange	680CR-77 Green
680CR-64 Gold	680CR-81 Lemon Yellow
680CR-71 Yellow	680CR-82 Ruby Red
680CR-72 Red	680CR-85 Black
680CR-75 Blue	680CR-91 School Bus Yellow

3M™ Scotchlite™ Electronic Cuttable (E.C.) Film

1170 Transparent Series

Description: A durable, transparent color film with a transparent, pressure sensitive adhesive on a 78# white kraft paper liner. Available as roll goods.

Uses: Used for application as a transparent overlay on 3M™ Reflective Sheeting. Ideal for non-mobile, flat only signs, "on premise" directional or advertising signs. Cannot be screen printed. Not recommended for vehicle applications.

Special Features: Durable and dimensionally stable. Paper liner to aid the cutting process and removal of film weed after cutting.

1171 Yellow	1177 Green
1172 Red	1178 Black
1174 Orange	1179 Brown
1175 Blue	

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd

Size
9" x 50yd
12" x 50yd
15" x 50yd
18" x 50yd
24" x 50yd
30" x 50yd
36" x 50yd
48" x 50yd

3M™ Scotchlite™ High Intensity Grade Prismatic Reflective Sheeting

3930 Reflective Sheeting Series

Description: A highly reflective, nonmetalized microprismatic lens reflective sheeting with pressure sensitive adhesive backing.

Uses: To provide high levels of retroreflectivity in the production of reflective durable traffic control signs, work zone devices and delineators that are exposed vertically in service.

Special Features: Excellent long-term reflectivity and durability. Improved scuff, scratch, gouge resistance. Exceeds specification ASTM D 4956 Spec Type III and Type IV, Class 2. Not recommended for plotter cutting.

3930 White	3934 Orange
3931 Yellow	3935 Blue
3932 Red	3937 Green
	3939 Brown

Size
24" x 50yd
30" x 50yd
36" x 50yd
48" x 50yd

3M™ Scotchlite™ Diamond Grade™ VIP Reflective Sheeting

3990 Reflective Sheeting Series


Description: A highly reflective, durable, microprismatic lens sheeting with pressure sensitive adhesive.

Uses: Used for durable traffic control, guidance signs and devices that are exposed vertically in service.

Special Features: Provides higher sign brightness than sheetings that use glass bead optical elements. Highly visible in the viewing range from 200 to 600 feet, making it ideal for signs that must be seen at relatively short viewing distances. Visual Impact Performance (VIP). Exceeds ASTM D 4956 Spec Type IX standards. Not recommended for plotter cutting.

3990 White	3995 Blue
3991 Yellow	3997 Green
3992 Red	

Size
6" x 50yd
12" x 50yd
30" x 50yd
36" x 50yd



Product Code	Color	Size	DOT Mark
983-10	White	2, 3, 4inch x 50 yd (Edge Sealed)	Yes
983-32	Red 11inch / White 7inch (Alternating Pattern)	1-1/2, 2, 3, 4inch x 50 yd (Edge Sealed)	Yes
983-326	Red 6inch / White 6inch (Alternating Pattern)	1, 1-1/2, 2inch x 50 yd (Edge Sealed)	Yes
983-71	Yellow	1, 1-3/4, 2inch x 50 yd (Edge Sealed)	No
983-72	Red	2, 3, 4inch x 50 yd (Edge Sealed)	Yes

Actual film color may vary slightly from printed representations shown.

3M™ Diamond Grade™ Reflective Markings

CHEV983

Description: The reflective marking consists of prismatic lenses that are formed in a transparent, synthetic resin, sealed and backed with a pressure sensitive adhesive and clear poly liner.

Uses: For Emergency Vehicles. Improve apparatus visibility during response and on-scene activity, highly retroreflective microprismatic markings.

Special Features: Superior polycarbonate construction for maximum durability. Aggressive pressure sensitive adhesive, stands up to the demanding emergency vehicle environment. Non-metallic, non-corrosive. Exceeds NFPA1901 standard.

983-21 Fluorescent Yellow	983-72 Red
983-23 Fluorescent Yellow-Green	983-10 White
983-71 Yellow	

Size
6" x 50yd

3M™ Scotchlite™ Diamond Grade™ Conspicuity Markings

983 14-18 mil High Gloss Reflective

Description: A 14-18 mil, high gloss retroreflective microprismatic markings, with permanent pressure sensitive solvent acrylic adhesive, pre-sealed edges on a clear 94# silicone-coated synthetic liner.

Uses: Designed for marking the sides and rear of vehicles to enhance visibility and detection. Use for truck conspicuity, rail car conspicuity, and striping on flat surfaces. Long term durability.

Special Features: Marking series 983 meets or exceeds all NHTSA and FRA requirements in addition to offering whiteness, wide angularity, and high reflectivity. Durable with aggressive pressure sensitive adhesive, easy to remove liner, pre-sealed edges, and non-metallic construction to prevent corrosion.



FLEXIBLE SUBSTRATES

Trim USA is a Warranted Seaming Contractor for 3M™ Panagraphics III and 3M™ Envision™ Flexible Substrates

The 3M™ Panagraphics and 3M™ Envision™ Flexible Substrate Warranted Seaming Contractor certification process equips Trim USA to consistently produce a seam that is visually acceptable, meets 3M™ specifications, and can be covered under the warranty.

PEACE OF MIND: When you purchase from Trim USA, Inc., a 3M™ trained Warranted Seaming Contractor (WSC), you can have peace of mind knowing that your seamed blank is warranted by 3M™ and the WSC against seam failure and blowouts.

RELIABILITY: All faces are fabricated according to strict standards and tested before shipping to the customer.

CONVENIENCE: It is now easier than ever to buy seamed blanks made with 3M™ Panagraphics III and 3M™ Envision™ Flexible Substrates.

QUALITY: The use of all 3M products, extensive training, and testing ensure that only the highest quality product is delivered to the customer.

SHORT DELIVERY TIME: Get quality seamed blanks when you need them!



3M™ Panagraphics III Wide Width Flexible Substrate

PGIII 19 oz

Description: 19 ounce, translucent, polyester scrim embedded between white-pigmented cast vinyl, smooth front surface, semi-gloss finish.

Uses: For Cut Film Decoration and Solvent Ink Jet Direct Printing. Cost-effective choice for seamless, wide width, day and night graphics for backlit signs and awnings used in medium to long-term installations.

Special Features: Durable, flexible, and smooth front surface. Light transmission 21% opacity.

Width	Length
59"	Available in 1 ft. Increments, Full Rolls Available
79"	
98"	
102"	
126"	
165"	

3M™ Envision™ Flexible Substrate

FS-1 19 oz

Description: 19oz, white pigmented vinyl substrate with a polyester scrim, smooth front surface with a semi-gloss finish.

Uses: For Inkjet Direct Printing, Film and Cut Film Decorations, for LED applications, backlit signs, medium – long term durability.

Special Features: Enhanced Light Transmission for LED light boxes, wide width, cost effective.

Width	Length
79"	Available in 1 ft. Increments, Full Rolls Available
98"	
102"	
126"	
165"	



3M™ TAPES

3M™ offers low-tack adhesive tapes to premask and ease the application of large format graphics to substrates, as well as high tack tapes to prespace graphic markings and ease the application of small text.

What are APPLICATION TAPES?

- Translucent materials with adhesive on one side used as an aid in applying or transferring graphics.

What are typical uses for APPLICATION TAPE?

- Adds stiffness and stability to make application easier.
- Aid in the registration of cut graphic parts.
- Protect the film from stretching during application.
- Protect the graphic image from scratching during application.
- Protect the graphic during transport or long-term storage.

What's the difference between one 3M™ PREMASKING TAPE and another, or one 3M™ PRESPACING TAPE and another?

- Each tape has a different level of adhesion. This ensures that the tape you use has a lower adhesion to the film than the film does to the substrate.

Which type of tape should be used?

- This depends on the type of graphic produced and the last component (ink, overlaminate or clear coat) that was applied to the graphic construction.

When to use PRESPACING TAPES:

- Hold cut and weeded letters or graphics in registration after removing the film liner.
- Use when large amounts of liner are exposed.
- Protect cut graphic parts from scratching or damage during application.

When to use PREMASKING TAPES:

- Application aid to increase stiffness, and prevent stretching and damage during application.
- Use when little or no liner is exposed.
- Protect the graphic when used in combination with spray painted clears.
- Eases application of pre-printed or large graphics to substrates. Low tack adhesive.

3M™ Prespacing Tape

SCPS-2 High Tack

Description: A high-tack, high quality prespace tape specially formulated for use with large format screen printed and electronically cut graphics to ease the application of small text.

Size
24" x 100yd
30" x 100yd
36" x 100yd
48" x 100yd
24" x 250yd
36" x 250yd
48" x 250yd

3M™ Prespacing Tape

SCPS-55 High Tack

Description: A high-tack transfer tape used to prespace markings applied to complex surfaces that will be kiss cut, electronically cut or die-cut.

Size
24" x 100yd
36" x 100yd
48" x 100yd
60" x 100yd

3M™ Premasking Tape

SCPM-3 Low Tack

Description: A low-tack premask specially formulated for large format, screen printed and electronically cut graphics, eases application of larger graphics to substrates. It has a unique low-tack adhesive.

Size
24" x 100yd
36" x 100yd
48" x 100yd
60" x 100yd
24" x 250yd
36" x 250yd
48" x 250yd

3M™ Premasking Tape

SCPM-44X Low Tack

Description: A low-tack premask paper tape specially formulated to ease the application and handling of large, digitally printed graphics to substrates. Ideal application tape when graphics are printed using UV inks.



Size
12" x 100yd
24" x 100yd
36" x 100yd
48" x 100yd
54" x 100yd
60" x 100yd
24" x 250yd
36" x 250yd
48" x 250yd
60" x 250yd

3M™ VHB™ TAPES
3M™ VHB™ tapes provide the convenience and simplicity of a tape fastener and are ideal for use in many interior and exterior bonding applications. In many situations, VHB tapes can replace rivets, spot welds, nuts and bolts, liquid adhesives and other permanent fasteners. Save money, time and increase efficiency with less work drilling, screwing, welding, clean-up and refinishing. Easy to Use!

Each tape in the VHB tape family has specific features. All tapes should be thoroughly evaluated by the user under actual use conditions with intended substrates to determine if a specific tape is fit for a particular purpose, especially if expected use involves extreme environmental conditions.

3M Product Number	Thickness	Color	Description	Application Ideas
4416 4466	1/16"	White Black	Double-Coated, closed cell vinyl foam tape. Good cushion, conformable, flexible, weather and solvent resistant with internal foam strength. Kraft liner.	For rough or irregular surfaces. Indoor signs, nameplates and wall corner protectors to irregular surfaces. Light to medium duty.
4905 4910	20 mil 40 mil	Clear	Closed-cell acrylic foam carrier. Acrylic adhesive. General Purpose (see below).	For joining most transparent materials. Excellent for mounting backlit transparent signage where clear or colorless is desired. General adhesion on both sides, suitable for high surface energy substrates.
4920 4950	15 mil 45 mil	White	Closed-cell acrylic foam carrier. Features an all-purpose adhesive. General Purpose / LSE (see below).	Bond aluminum, steel, copper, zinc, tin, anodized aluminum, glass. Architectural signs and frames, and high surface energy substrates. (Note: Light surface abrasion will significantly increase adhesion levels on many of these surfaces).
4926 4941 4944	15 mil 45 mil 45 mil	Dark Grey Black	Closed-cell acrylic foam carrier with acrylic adhesive. Conformable foam. Good adhesion to many painted metals. High solvent resistant. Paint / Plasticizer Resistant (see below).	Bonding flexible vinyl banners. Bonding muntin bars to windows, bond and seal polycarbonate lens over LCD, bond prepainted metals in truck assembly, bond and seal prepainted control panels/switch gears, and mount vinyl wiring ducts and conduit channels.
4932 4952	25 mil 45 mil	White	Closed-cell acrylic foam carrier. Adhesive provides good adhesion to most polypropylene and powder paints. LSE (see below).	Bonding powder painted metal stiffeners to office desks and file cabinets. Bonding polypropylene, polystyrene and other low surface energy plastics. Variety of smooth plastics and paints.
4945	45 mil	White	White, closed-cell acrylic foam carrier. Good adhesion to flexible vinyl. Multi-purpose adhesive on both sides of firm foam. Paint / Plasticizer Resistant (see below).	Bonds to wide variety of high and medium surface energy substrates, plasticizer resistant.

General Purpose: Bonds to most higher energy substrates including most metal.
LSE: Bonds to most lower surface energy substrates including many plastics and powder coated paints, plus general purpose substrates.
Paint / Plasticizer Resistant: Bonds to most painted substrates, plus general purpose substrates. Good adhesion to substrates containing plasticizers.



3M™
PPS™ PAINT PREPARATION SYSTEM

A new, innovative system from 3M for mixing, preparing, and spraying finishing and coating materials. Produces cleaner jobs, saves on solvent usage and gun cleaning time, and can improve operator efficiency by as much as 15%. Replaces traditional mixing cups and filters and drastically reduces the amount of solvent required for gun cleaning.



- Key Benefits:
- Up to 70% savings of cleaning solvent.
 - Only one PPS™ cup for mixing and spraying.
 - Closed system - no outside contamination.
 - Faster system - from mixing to disposal.
 - Less operator exposure to solvents and reduction in VOCs.
 - Spray gun functions at any angle.

Part No.	Description	Qty per Box
16113	Mini / Small Size (6 oz) 3M™ PPS™ Paint Preparation System Mini Cup Kit. Includes: (50) Lids and Liners (2) Cups and Collars (2) Mix Film Inserts (20) Plugs (1) Lid & Liner Dispenser	1
16114 16115 16066	3M™ PPS™ Paint Preparation System Mini Lids and Liners 3M™ PPS™ Paint Preparation System Mini Mixing Cups and Collars 3M™ PPS™ Paint Preparation System Mini Mix Film Inserts	50 2 50
16000 16001 16065	Regular / Medium Size (650 mL) 3M™ PPS™ Paint Preparation System Medium Lids and Liners 3M™ PPS™ Paint Preparation System Medium Mixing Cups and Collars 3M™ PPS™ Paint Preparation System Medium Mix Film Inserts	50 2 100
16024 16023 16091	Large Size (950 mL) 3M™ PPS™ Paint Preparation System Large Lids and Liners 3M™ PPS™ Paint Preparation System Large Mixing Cups and Collars 3M™ PPS™ Paint Preparation System Large Mix Film Inserts	25 1 100
16010 16013 16117 16019 16099 16236 16237 16238 37720	Accessories 3M™ PPS™ Paint Preparation System Cup Carrier (fits 6 Lg. or Med. Cups) 3M™ PPS™ Paint Preparation System 200 Micron Cartridge Strainer 3M™ PPS™ Paint Preparation System Mini Cup Carrier 3M™ PPS™ Paint Preparation System Liner Dispenser (fits Med. and Lg. Liners) 3M™ PPS™ Paint Preparation System Lid Dispenser (fits Med. and Lg. Lids) Single (1) Spray Gun Holder (magnetic or wall mount) Double (2) Spray Gun Holder Quad (4) Spray Gun Holder 3M™ Detailing Squeeze Bottle, 12 fluid oz.	1 20 1 1 1 1 1 1 1

Part No.	Description	Qty per Box
	Adapters	
16003	Type 2	4
16005	Type 4	4
16006	Type 5	4
16007	Type 6	4
16008	Type 7	4
16015	Type 8	4
16016	Type 9	4

Part No.	Description	Qty per Box
	Adapters	
16017	Type 10	4
16018	Type 11	4
16022	Type 12	4
16046	Type 15	4
16053	Type 14	4
16054	Type 18	4

LG Hausys

Authorized distributor



LG VIZUONPRINT
LD823AG

VIZUON™

LG HAUSYS BRAND OF SUPERIOR GRAPHIC MATERIALS

The VIZUON™ family of products includes calendered cutting vinyl, cast and calendered digital print media.

VIZUONPRINT™ LG DIGITAL PRINT MEDIA

VIZUONPRINT™ is the brand name for LG Hausys digital print media product line, and it features functional graphic films for excellent printability for various types of applications ranging from display materials, fleet, and window graphics.

ICC Profiles for VIZUON products are available for download at: www.LGVIZUON.com

LG VIZUONPRINT

LD3810G / LD3810M

Description: A 3.9 mil white opaque, gloss (LD3810G) or matte (LD3810M) face finish, monomeric, calendered film, with a grey, permanent, solvent-based acrylic pressure sensitive adhesive, on a super flat, double-side, olefin-coated paper liner.

Size
30" x 50yd
50" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for Solvent Inkjet Digital Printing. Ideal for indoor sign and mid/short term outdoor advertising. Outdoor displays, signs, point of purchase displays, labeling, racing graphics, exhibition stands, automotive advertising. Flat to slightly curved surface applications.

Special Features: Excellent printing performance. Dimensional stability and performance under a wide range of physical and climatic conditions. Excellent weather resistance.

LG VIZUONPRINT

LD3911G / LD3911M

Description: A 3.2 mil white opaque, gloss (LD3911G) or matte (LD3911M) face finish, polymeric, calendered film, with a grey, permanent, solvent-based acrylic pressure sensitive adhesive, on a super flat, double-side, olefin-coated paper liner.

Size
54" x 50yd
60" x 50yd

Uses: Designed for Solvent Inkjet Digital Printing. Ideal for indoor sign and mid/short term outdoor advertising. Outdoor displays, signs, exhibition stands, automotive advertising. Flat to slightly curved surface applications.

Special Features: Excellent printing performance. Dimensional stability and performance under a wide range of physical and climatic conditions. Excellent weather resistance.



LG VIZUONPRINT
LD3810

LG VIZUONPRINT

LD4910M - Translucent

Description: A 4.0 mil white translucent, matte face finish, polymeric, calendered film, with a clear, permanent, solvent-based acrylic pressure sensitive adhesive, on a super flat, double-side, olefin-coated paper liner.

Size
54" x 50yd
60" x 50yd

Uses: Designed for Solvent Inkjet Digital Printing. Ideal for indoor and outdoor displays, signs, point of purchase and trade show displays, exhibition stands, where image is backlit. Flat to slightly curved surface applications.

Special Features: Excellent printing performance. Dimensional stability and performance under a wide range of physical and climatic conditions. Excellent weather resistance.

LG VIZUONPRINT - Cast Film with AiRFREE™

LD823AG

Description: A 2.3 mil white opaque, gloss face finish, cast film, with a grey, permanent, solvent-based acrylic pressure sensitive adhesive, with AiRFREE™ embossing patterns on a 98# super flat, double-side, olefin-coated paper liner.

Size
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for Solvent Inkjet Digital Printing. Ideal for outdoor displays, signs, exhibition stands, and vehicle wraps. Conforms well to flat surfaces, simple corrugations, and rivets.

Special Features: Outstanding dimensional stability, excellent printing performance, excellent lay flatness even in humid conditions, excellent weather resistance. AiRFREE™ is LG Hausys proprietary technology that utilizes embossing patterns on the release liner, making it easier to remove trapped bubbles and enhancing adhesion.

LG VIZUONPRINT - Calendered Film with AiRFREE™

LD383AG / LD383AM

Description: A 3.2 mil white opaque, gloss (LD383AG) or matte (LD383AM) face finish, monomeric, calendered film, with a grey, permanent, solvent-based acrylic pressure sensitive adhesive, with AiRFREE™ embossing patterns on a 83# super flat, double-side, olefin-coated paper liner.

Size
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for Solvent Inkjet Digital Printing. Ideal for outdoor displays, signs, exhibition stands, automotive advertising.

Special Features: Excellent high resolution printing performance, dimensional stability under a wide range of physical and climatic conditions, and weather resistance. AiRFREE™ is LG Hausys proprietary technology that utilizes embossing patterns on the release liner, making it easier to remove trapped bubbles and enhancing adhesion.

VIZUONPRINT™ LG LAMINATES

LG VIZUONPRINT

LP3812G / LP3812M

Description: A 3.6 mil clear, high gloss (LP3812G) or matte (LP3812M) calendered overlaminate, with an optically clear, permanent, solvent-based acrylic adhesive, on a 83#, double-side PE coated paper liner.

LP3812G GLOSS
Size
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for indoor and outdoor protection of large format digital print images. Provides protection from UV radiation damage, scratches, and abrasion. Offers enhanced colors and durability. Flat surface applications without rivets.

Special Features: Offers enhanced color of image, excellent durability and UV protection.

LG VIZUONPRINT

LP80990G

Description: A 2.3 mil clear, high gloss cast overlaminate, with an optically clear, permanent, solvent-based acrylic adhesive, on a super flat, double-side, olefin-coated paper liner.

Size
30" x 50yd
54" x 50yd
60" x 50yd

Uses: Designed for indoor and outdoor protection of large format digital print images. Provides protection from UV rays, scratches, and abrasion. Flat surface applications without rivets.

Special Features: Offers high dimensional stability, enhanced color of image, excellent durability, UV protection and easy installation.



LG VIZUON product features presented in this catalog had originated from the most current LG VIZUON Product Data Bulletins available at the time of publication, which is subject to change. For current product information, consult with your Trim USA Sales Representative or refer to the LG Product Information found at: www.lgvizun.com.

VIZUONCAL™
SIGN MAKING PRESSURE SENSITIVE
FILMS FOR PLOTTER CUTTING

LG VIZUONCAL 6000-2.6 mil Calendered Film
High Gloss

Description: A 2.6 mil opaque, high gloss face finish, polymeric, calendered film, with clear, permanent, solvent-based acrylic pressure sensitive adhesive, on a 80# silicone-coated paper liner.

Uses: Designed for thermal transfer printing, screen printing, or plotter cutting. Ideal for indoor and outdoor graphics, point of purchase or trade show display, slightly curved surfaces, short-term vehicle & fleet marking film.

Special Features: High dimensional stability, long term durability outdoors, excellent cutting and weeding characteristics.

Size
15" x 10yd
24" x 10yd
30" x 10yd
48" x 10yd
15" x 50yd
24" x 50yd
30" x 50yd
48" x 50yd



6700 Clear	6717 Burgundy
6770 White	6765 Pink
6772 Light Grey	6760 Purple
6773 Medium Grey	6759 Sky Blue
6775 Dark Grey	6758 Cool Blue
6776 Traffic Grey	6757 Azure Blue
6779 Silver	6756 Marina Blue
6781M Matte Black	6755 Vivid Blue
6780 Black	6754 Vibrant Blue
6726 Brown	6753 Medium Blue
6739 Gold	6752 Blue
6737 Ivory	6751 Majestic Blue
6734 Light Yellow	6750 Dark Blue
6733 Medium Yellow	6744 Yellow Green
6732 Yellow	6742 Green
6730 Dark Yellow	6741 Forest Green
6731 Saffron	6740 Dark Green
6720 Orange	
6713 Tomato Red	
6711 Red	
6710 Dark Red	

POLY BANNER
BANNER & FLEXIBLE SIGN FACE MATERIAL

Poly Banner is optimized for use with pressure sensitive films and for screen and digital printing. All products are built using polymerized fabric with high-quality polyester yarn and PVC to eliminate such deformations as contraction. Poly Banner has banners for every application!

Poly Banner-16 oz Banner
Block-Out 110B

Description: A 16oz white opaque, matte face finish, single-side digital printable, with block-out effect (opaque), heavy scrim reinforced PVC vinyl banner material.

Size
39" x 33yd
54" x 33yd

Uses: Designed for Solvent Inkjet Digital Printing and Screen Printing. Ideal for indoor and outdoor front-lit signs and wide-format promotional advertising, light pole banners, semi-trailer ad panels, etc.

Special Features: Block-out effect with black film laminated between PVC sheets that allows little to no light transmission, allowing vivid and sharp images. Excellent printability. Scrim reinforcement for durability. Anti-mildew and ultraviolet treatment.



Poly Banner-13 oz Banner
Ultra UGS / UMS

Description: A 13oz white opaque, single-side digital printable, gloss (UGS) or matte (UMS) face finish, heavy scrim reinforced PVC vinyl banner material.

Size
39" x 33yd
54" x 33yd

Uses: Designed for Solvent Inkjet Digital Printing and Screen Printing. Front-lit banner specially designed for billboards and indoor and outdoor advertising.

Special Features: Heavy scrim reinforced, sturdy, excellent printability and weather resistance. Anti-mildew, ultraviolet, and fire resistance treatment. Weldable for multiple panel graphics. Available in gloss and matte finishes.

Poly Banner XIGN™
BANNER & FLEXIBLE SIGN FACE MATERIAL
XIGN™ is an ingenious curling resistant banner! It breaks free from the traditional manufacturing method by incorporating PET into the product, leaving out the need for fabric.

Poly Banner
XIGN

Description: A 14oz anti-curl, white opaque, matte face finish and smooth on both sides, double-side digital printable, with block-out effect (opaque), scrimless non-fabric banner material.

Size
39" x 33yd
54" x 33yd

Uses: Designed for Solvent Inkjet Digital Printing and Screen Printing. Ideal solution indoor and outdoor advertising, banner stand applications, etc.

Special Features: Wrinkle and curling resistant, lay-flat material. Matte finish and smooth on both sides. Block-out with excellent printability. Anti-mildew and ultraviolet treatment.


Poly Banner
Ultra Smooth USB

Description: A 12oz or 14oz white opaque, matte face finish, double-side digital printable, ultra smooth surface with black-out effect (black PVC coated inside of PVC sheets), light scrim reinforced PVC vinyl banner material.

Size
39" x 33yd
54" x 33yd

Uses: Designed for Solvent Inkjet Digital Printing and Screen Printing. Ideal for lfront-lit applications for indoor and limited/short-term outdoor durability applications. Movie posters, POP, display graphics, backdrops, table covers, and wide-format promotional advertising.

Special Features: Ultra smooth for high resolution image printing on both sides. Light scrim reinforcement. Anti-mildew and ultraviolet treatment. Black-out effect ideal for screen printing, allowing little or no light or color transmission.



XIGN



EXPAND YOUR BUSINESS WITH HEAT TRANSFER MATERIALS

The competition in the sign making, screen printing and embroidery industries is fierce. Take your business to the next level and offer affordable custom printed apparel services with Siser® heat transfer vinyl and printable media. More and more businesses are discovering how profitable it can be to print shirts, jackets and sweatshirts using their existing cutters or print/cut systems. We'll show you how to succeed with Siser® materials and a heat press.

Siser EASYWEED SISEW

Description: 3.5 mil, PU composition, heat transfer plotter cut vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather.

Special Features: Over 40 colors for multi-color applications and layering. Durable wash after wash. Low time, temp and pressure. Hot or Cold Peel. Phthalate Free, Lead Free, CPSIA certified.



Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd
Black & White also in 20"
20" x 5yd
20" x 10yd
20" x 25yd
20" x 50yd

White-01	Charcoal-80
Cream-29	Black-02
Lemon-21	Vegas Gold-70
Yellow-06	Gold-12
Sun-28	Silver-13
Orange-08	Fluorescent Yellow-16
Texas Orange-74	Fluorescent Orange-17
Bright Red-55	Fluorescent Pink-19
Red-05	Fluorescent Raspberry-30
Bubble Gum-79	Fluorescent Green-18
Pink-09	Fluorescent Blue-20
Burgundy-14	Fluorescent Coral-84
Cardinal-71	Light Pink-65
Maroon-72	Pale Blue-61
Dark Maroon-75	Green Apple-64
Lime-78	Hibiscus-63
Green-07	Lilac-62
Dark Green-24	Tan-82
Turquoise-27	Powder Blue-83
Sky Blue-10	Chocolate-76
Royal Blue-03	Tiffany-983
Navy Blue-04	Sea Foam-984
Purple-15	Coral-985
Brown-11	Gray-22

Siser EASYWEED STRETCH

SISEWS

Description: 3.5 mil, PU composition, heat transfer plotter cut vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, Lycra/Spandex.

Special Features: Super stretchability to create one remarkable heat transfer material. The thinnest of any Siser material, with an ultra-matte finish. Hot or Cold Peel. Phthalate Free, Lead Free, CPSIA certified.



Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd

White-01	Navy Blue-04
Sun-28	Yellow-06
Orange-08	Bright Red-55
Red-05	Black-02
Royal Blue-03	Silver-13

Siser EASYWEED STRETCH SISEWS



Siser EASYWEED SISEW



Siser EASYWEED ELECTRIC

SISEW-Electric

Description: 3.5 mil, PU composition, heat transfer plotter cut vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, sublimated polyester.

Special Features: If you're looking to take your designs to the next level, EasyWeed™ Electric has a finish or pattern just for you. The colors are vibrant and have a pearlescent metallic sheen. Durable wash after wash. Can be layered for multi-color designs. Hot or Cold Peel. Phthalate Free, Lead Free, CPSIA certified.



Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd

Yellow-39	Teal-60
Orange-35	Silver Lens-32
Red-38	Gold Lens-40
Cherry-43	Lime-33
Purple-37	Pink-36
Blue-31	Copper-42
Columbia Blue-75	

Siser EASYWEED ELECTRIC SISEW-Electric



Siser EASYWEED GLOW IN THE DARK SISEW60



Siser EASYWEED EXTRA

SISEWE

Description: 3.5 mil, PU composition, heat transfer plotter cut vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, lightly siliconed nylon.

Special Features: You can layer any Siser material on top of EXTRA. Hot or Cold Peel. Phthalate Free, Lead Free, CPSIA certified.



Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd

White-01	Navy Blue-04
Sun-28	Purple-15
Orange-08	Gray-22
Red-05	Black-02
Green-07	Vegas Gold-70
Royal Blue-03	Silver-13

Siser EASYWEED FOIL

SISEWF

Description: 3.9 mil, PU composition, gloss finish, heat transfer plotter cut vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends.

Special Features: For that little extra – use Easyweed Foil to give your design that POP! The thin shiny material gives that wow factor. Warm Peel, not for layer, CPSIA certified.



Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd

Gold-F12
Silver-F13

Siser EASYWEED GLOW IN THE DARK

SISEW60

Description: 3.5 mil, PU composition, heat transfer plotter cut vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends.

Special Features: Looks great in the daylight and glows in the dark. You "charge" the material by exposing it to sunlight. The more light you give it, the more it glows in the dark. Hot or Cold Peel. Phthalate Free, Lead Free, CPSIA certified.



Size
20" x 5yd
20" x 10yd
20" x 25yd
20" x 50yd

Glow in the Dark-60

Siser GLITTER**SISGL****Description:** 12.8 mil, PU composition, heat transfer plotter cut vinyl.**Uses:** Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, lightly siliconed nylon, Lycra/Spandex, sublimated polyester. Great for cheer and dance wear.**Special Features:** Colors are vibrant and contain maximum sparkle. You can be sublimated directly on white and neon glitter material. Now you have a way to sublimate on black garments...even on black cotton. Over 30 colors to choose from. Hot Peel, Phthalate Free, Lead Free, CPSIA certified.

Size
20" x 5yd
20" x 10yd
20" x 25yd
20" x 50yd

Silver-13	Aqua-10
Black Silver-41	Old Blue-11
Black-02	Blue-61
Light Multi-01	Royal Blue-03
Confetti-32	Sapphire-04
Silver Confetti-16	Jade-27
Gold Confetti-17	Emerald-24
Old Gold-25	Light Green-07
Gold-12	Grass-64
Black Gold-40	Dark Green-26
Copper-08	Translucent Lt. Pink-65
Bronze-42	Translucent Orange-68
Red-05	Neon Yellow-71
Burgundy-14	Neon Orange-73
Blush-09	Neon Pink-74
Hot Pink-19	Neon Purple-75
Cherry-43	Neon Green-72
Lavender-62	Neon Blue-70
Purple-15	White-00
Eggplant-37	

Siser GLITTER
SISGL**Siser Holographic****SISHG****Description:** 4.3 mil, Polyester/Metalized foil composition, gloss finish heat transfer vinyl.**Uses:** 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, sublimated polyester.**Special Features:** A new dimension in heat transfer vinyl. Available in many special effect colors and finishes that will take your designs to a new level. Love the look of rhinestones but don't want to go through all the hassle? Holographic can be cut to look exactly like rhinestones, without having to go through all the extra work associated with creating rhinestone designs.

Size
20" x 5yd

Crystal-01	Black-02
Royal Blue-03	Navy Blue-04
Red-05	Green-07
Orange-08	Fuchsia-09
Sky Blue-10	Gold-12
Silver-13	Purple-15
Aqua-27	Pink-65
Pearl-00	Gold Crystal-31

Siser CAD Flex**SISCF****Description:** 3.5 mil, PVC composition, static backing, matte finish (Except silver & gold).**Uses:** 100% Cotton, 100% Uncoated Polyester, Poly/Cotton Blends, Leather, Sublimated polyester.**Special Features:** CADflex™ is a heat transfer vinyl with a non-stick carrier that makes it perfect for stocking up and storing athletic names, numbers and team logos. Prepare your team sets ahead of time by cutting multiple numbers and team logos and store them for quick use. CADflex™ is perfect for all sports including soccer, football, baseball, softball and little league. The nonstick backing allows for easy weeding of your lettering and numbers. Looking for an inexpensive way to add player numbers to leather shoes? CADflex™ is the answer! By using a shoe platen on your heat press, or a household iron, you can easily apply player numbers and give your team's shoes a look that stands out!

Size
20" x 27yd

White-01	Purple-15
Lemon-21	Gray-22
Yellow-06	Black-02
Sun-28	Gold-12
Orange-08	Silver-13
Red-05	Fluorescent Yellow-16
Green-07	Fluorescent Orange-17
Sky Blue-10	Fluorescent Pink-19
Royal Blue-03	Fluorescent Green-18
Navy Blue-04	Fluorescent Blue-20

Siser Brick**SISEWB****Description:** 39.3 mil, PU composition, static backing, semi-gloss finish heat transfer vinyl.**Uses:** 100% cotton, Poly/cotton blends, 100% uncoated polyester, Lycra®/Spandex. For an extra dimension effect.**Special Features:** Sometimes a design calls for a thicker material. Well, we have it for you...all 1000 Microns of it! It's called Brick and it's a thick, flexible material designed for smaller logos and designs and adds an extra dimension to your garments. Next time you feel your design is just too flat, consider giving it some dimension with Brick by Siser! CPSIA Certified.

Size
20" x 5yd

White-01	Yellow-06
Green-07	Red-05
Royal Blue-03	Navy-04
Black-02	

Siser Extra Reflex**SISEXREF13****Description:** 4.3 mil, PET composition, reflective finish heat transfer vinyl.**Uses:** 100% cotton, 100% uncoated polyester, Poly/cotton blends, and Leather. Great reflectivity at night means increased visibility and safety. Bikers, joggers, trick-or-treaters and others will benefit from the increased visibility and durability of ExtraReflex.**Special Features:** ExtraReflex is a reflective heat transfer vinyl that is considerably thinner than most on the market today! This gives you the ability to apply to thinner materials without the feel of a thick material sitting on top. This helps with sportier applications and on children's wear, where you don't want to have a heavy design. Great reflectivity at night means increased visibility and safety. CPSIA Certified.

Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd

Silver-13

Siser SubBLOCK**SISSUB****Description:** 4.3 mil, PU composition, matte finish, heat transfer plotter cut vinyl.**Uses:** 100% uncoated polyester and sublimated polyester.**Special Features:** Specially formulated to block all dye migration and leave you with an awesome looking jersey, CPSIA certified.

Size
15"NP x 5yd
15"NP x 10yd
15"NP x 25yd
15"NP x 50yd

White-01
Barcelona Yellow-06

Siser REFLECTALL**SISRA****Description:** 5.3-7.1 mil, PVC composition, heat transfer plotter cut vinyl.**Uses:** Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, Lycra/Spandex. Perfect for road workers, construction crews, delivery drivers and runners / bikers that are active when the sun goes down.**Special Features:** Highly reflective heat transfer vinyl that offers great visibility in low-light conditions. Higher reflectivity due to its patented glass bead construction. Can be layered for multi-color reflective looks. Warm Peel.

White-01
Silver-13

Size
20" x 5yd
20" x 10yd

Siser STRIPFLOCK**SISSF****Description:** 16.1 mil, PVC composition, heat transfer plotter cut vinyl.**Uses:** Adheres to 100% cotton, 100% uncoated polyester, poly/cotton blends, leather, sublimated polyester.**Special Features:** A great alternative to embroidery, StripFlock gives logos a raised, textured, suede-like feel. Excellent for retro designs or anytime you want a rich look. Can be layered on itself. Cold Peel.

White-01	Pink-09
Black-02	Green-07
Lemon-21	Pale Blue-10
Yellow-06	Royal Blue-03
Orange-08	Navy Blue-04
Bright Red-55	Purple-15
Red-05	Gray-22

Siser VIDEOfLEX GLITTER**SISVFG****Description:** 16.1 mil, PVC composition, heat transfer plotter cut vinyl.**Uses:** 100% uncoated polyester, poly/cotton blends, leather, lightly siliconed nylon. Looking for something different? Think outside the box and use your favorite color on shoes, belts and other hard-to-print items. Can be applied to T-shirts, hoodies, sweats and scrubs too.**Special Features:** Specifically designed for the fashion industry. A glitter material that is soft to the touch, because the glitter is embedded in the material so that you get a smooth finish to your designs. VideoFlex® Glitter is available in 10 colors including a translucent for creating tone-on-tone looks. Cold Peel.

Gold-40
Silver-41

Size
15"NP x 5yd
15"NP x 10yd
15"NP x 50yd

Siser COLORPRINT PU

SISCPUM01-Matte

SISCPPU01-Gloss



Description: 2.8 mil, PU Composition, white digitally printable heat transfer vinyl. Available in matte or gloss.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends, Lycra/Spandex, Leather. Print and Cut Full-Color Designs with Incredible Stretch & Rebound. Create stretchable full-color graphics from your Eco-Solvent or Solvent based printers.

Special Features: Thin & stretchable print and cut material. It's thin enough to provide a great hand and stretchable enough for most performance wear. Available in matte or gloss finishes. Print on the Matte finish for a washed "retro" appearance or try the Gloss finish for that "pop" factor. CPSIA Certified. Hot Peel.

Matte White-M01
Gloss White-01

Size
29.5" x 5yd
29.5" x 10yd
29.5" x 25yd

Siser COLORPRINT EXTRA

SISCPE01

Description: 5.3 mil, PVC Composition, white digitally printable heat transfer vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends, Lightly Siliconed Nylon, leather. Designed for Eco-Solvent, Solvent and Latex printers.

Special Features: Designed for the difficult to print on materials. Perfect for full-color printing on lightly siliconed nylon and is glossy & durable enough for awnings, canvas, tents and other difficult to personalize fabrics. If you're looking for a print and cut material that works on shoes, belts, canvas bags and more, ColorPrint™ Extra is the material you're looking for! Anyone wishing to print canvas bags will love the rich colors that ColorPrint™ Extra provides. Hot Peel.

White-E01

Siser COLORPRINT EXTRA
SISCPE01



Siser COLORPRINT SOFT

SISCPS01



Description: 1.9 mil, PU Composition, clear matte finish base with polyester backing, digitally printable heat transfer vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends. For use with Eco-Solvent and Solvent base Printer/Cutters.

Special Features: The thinnest digital media for the softest look and feel. Ideal for white or light colored fabrics. Closest look and feel to screen printing among digital transfer materials. Use on any light colored fabrics where you want vibrant colors with a soft feel, and it gets softer after washing. CPSIA Certified. Warm Peel.

Clear-S01

Siser COLORPRINT SOFT
SISCPS01



Siser COLORPRINT SOFT Opaque

SISCPS001



Description: 1.9 mil, PU Composition, white matte finish base with polyester backing, digitally printable heat transfer vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends, Lycra/Spandex, leather. For use with Eco-Solvent and Solvent base Printer/Cutters.

Special Features: The thinnest digital media for the softest look and feel. Ideal for dark colored fabrics. Closest look and feel to screen printing among digital transfer materials. CPSIA Certified. Warm Peel.

White-S001

Size
29.5" x 5yd
29.5" x 10yd
29.5" x 25yd
29.5" x 50yd

Siser COLORPRINT SUBLITHIN

SISCPSUB



Description: 4.3 mil, PU Composition, white digitally printable heat transfer vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends, leather, sublimated polyester. Great for motocross, soccer and hockey jerseys with full sublimation. For use with Eco-Solvent and Solvent based printer/cutters.

Special Features: Designed for Sublimated Sports Garments. Prevent the sublimation inks migration or the bleeding through the vinyl. Formulated to work with most Eco-Solvent and Solvent based inks to block this dye migration and keep your graphics looking beautiful on any kind of sublimated polyester garment. CPSIA Certified. Hot Peel.

White-01

Siser COLORPRINT SUBLITHIN
SISCPSUB



Siser COLORPRINT GLITTER

SISCGP

Description: 13.8 mil, PVC Composition, glitter white digitally printable heat transfer vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends, leather.

Special Features: Combine full-color print and put with the sparkle of glitter. Full-color printing that adds the bold look of sparkly glitter. This is a white material with flakes of glitter built in. Excellent for small designs and detailed logos and is compatible for use with most Eco-Solvent, Solvent, and Latex inks. Hot Peel.

White Glitter-00

Size
20" x 5yd
20" x 10yd
20" x 25yd
20" x 50yd
29.5" x 5yd
29.5" x 10yd
29.5" x 25yd
29.5" x 50yd

Siser COLORPRINT EASY
SISCPEZ



Siser COLORPRINT EASY

SISCPEZ

Description: 3.1 mil, PU Composition, semi-gloss, white base with polyester backing, digitally printable heat transfer vinyl.

Uses: Adheres to 100% cotton, 100% uncoated polyester, Poly/Cotton Blends. For use with Eco-Solvent and Solvent based printer/cutters.

Special Features: Easy to weed. Simply print and cut your design, weed the excess with ease, and mask. ColorPrint™ Easy applies at only 300° F, which gives you the ability to apply to special materials that require a lower application temperature. Warm Peel.

Semi-Gloss White-EZ

Siser COLORPRINT GLITTER
SISCGP



Siser TTD Easy Mask

SISTTDE

Description: Most of the application tapes in the industry are manufactured to transfer sign vinyl which does not require heat. When using these tapes to apply our products, you may be left with an adhesive residue. In addition, the tape may be difficult to remove which slows down the production process. A great deal of time was spent formulating a transfer tape that works well with our heat transfer materials. This CLEAR mask allows you to accurately place the image on the garment, and also releases easily after heat application. For the best application results use TTD easy mask.

Size
20" x 5yd
20" x 10yd
20" x 25yd
20" x 50yd
29.5" x 5yd
29.5" x 10yd
29.5" x 25yd
29.5" x 50yd

Clear-TTDE

Siser TTD Easy Mask
SISTTDE



Siser TTD High Tack Mask

SISTTDHT

Description: Specifically designed for ColorPrint™ Soft Opaque. The increased tack allows the transfer tape to firmly grip the print and cut material which prevents wrinkling and warping during the masking process. A warm peel keeps the application process quick and simple so you can create more products faster. It is clear and thin, permitting accurate, beautiful transfers.

*For best results, mask should be used when room temperature is below 75° F.

Clear-TTDHT

Size
20" x 5yd
20" x 10yd
20" x 25yd
20" x 50yd
29.5" x 5yd
29.5" x 10yd
29.5" x 25yd
29.5" x 50yd



WEEDER

The fastest way to weed heat transfer vinyl. This durable stainless steel tool will not bend or break when weeding designs and can be sharpened if necessary. Recommended for use with all Siser cuttable heat transfer vinyl and printable heat transfer vinyl materials. The Siser weeder allows you to weed with speed and accuracy - even in small cavities!

KRAFT PAPER

The one paper that does double duty. The name says it all. Multipurpose paper can serve as a cover sheet, protecting your garment and upper platen on your heat press. When using as a cover sheet, make sure the glossy side of the paper is facing down. The glossy side of the paper can also be used to store weeded transfers until you are ready for heat application. Multipurpose Paper can be used several times. 25 sheets (15" x 19")

HEAT TRANSFER PILLOWS

Heat Transfer Pillows have a core of soft foam covered by our non-stick Heat Transfer Cover Sheet material. The thickness of the foam allows you to elevate the working space, keeping unwanted areas away from the heat to give you an even surface for hat application. Most commonly used on garments with zippers, buttons, seams, and pockets. The contour design allows for easy insertion into the garment. Ideal for separating the front and back of reversible jerseys.

Available sizes: 16" x 20", 12" x 14", 10" x 10", 6" x 8", 5" x 18", or Pack 1 of each size.

TEFLON COVER SHEET

Protect your garments and your heat press upper platen. If you only purchase one cover sheet, this is the one you want! This is the most popular reusable non-stick cover sheet in the industry. These cover sheets protect your garment and the press' upper platen. Heat Transfer Cover Sheets are reusable and give your image a semi-gloss finish. Replace if the sheet becomes creased or wrinkled. 1 sheet (18" x 20")

SQUEEGEE

Perfect for smoothing masking films. Smooth out your masking films and remove unwanted air bubbles with this handy plastic squeegee. This squeegee is recommended for use on all Siser print/cut materials as well as all your sign vinyl jobs. The squeegee removes trapped air and creates a bond between the mask and the image.

MINI Tee's

Great for making display or using as samples that people can touch and feel. Mini Tee's are an excellent way to show a potential client how their logo will look on a finished garment. Approximate size 7 inches. Available in White, Black, and assorted colors.

SISER DIGITAL CLAM HEAT PRESS

The Siser Digital Clam Heat Press is ideal for letters & numbers, left chest logos or full-front designs. The Siser Digital Cap Heat Press is perfect for printing caps and hats, as well as applying labels in shirts, shorts and bags.

A great, economical heat press that works great in the shop or take it with you to events for on-demand printing. Easy to operate with the digital time and temperature readout and over-the-center pressure adjustment. The upper flotational platen provides a flat, even surface. Ideal for individuals who are just starting out in the industry, as a second press for home or the shop, or as a travel press that you take to live events like car shows, dance competitions, cheer events and more for complete on-demand heat printing and personalization. Upper heating element has non-stick coating. Cast-In Tubular Heating Element every 2" eliminates cold spots. Opens wide for easy layout. Available in 11" x 15", 15" x 15", and 16" x 20".

UL/ULC/CE/RoHS Approved

CE/NRTLCO Approved

SISER DIGITAL CAP HEAT PRESS

Heat press caps in the shop or on the go. The Siser Digital Cap Press is a great, economical cap heat press that allows you to say "YES" to all the cap printing jobs that you were sending down the road to the embroiderer. Personalized caps are a great addition to shirts, bags, shoes and belts – and now you can print them too. The Siser Digital Cap Press is easy to operate with the digital time and temperature and cap lockdown lever. The Siser Digital Cap Press is ideal for those who are testing the heat printed cap market, as a second press for home or the shop or as a smaller press for applying tags and labels in shirts and shorts. Looking for some add-on business? Take the Digital Cap Press with you to local events and offer on-demand printing and personalization. Live Digital Time and Temperature. Non-stick coated upper heating element. Opens wide for easy layout.

UL/ULC/CE/RoHS Approved

CE/NRTLCO Approved



QUALITY PREMASK & APPLICATION TAPES

TransferRite® brand products is the first choice of professional sign makers and screen printers everywhere. Whatever the application, from fleet marking to commercial sign production, you'll find the right product – and the right performance – in TransferRite, the world's best behaved premask and application tapes.



Description	Applications	Width (in inches)	Part No.
582U Ultra® Standard Medium Tack Paper 4.3 mil, White High Grade Saturated Paper	<ul style="list-style-type: none">• Medium tack workhorse for general use• Pre-spaced lettering 2"-12" high• Small one piece decals• Mid-sized line striping	48.00	MASU5824800
592U Ultra® Standard High Tack Paper 4.3 mil, White High Grade Saturated Paper	<ul style="list-style-type: none">• Recommended for use with intermediate or calendered film• Pre-spaced lettering <2" high• Fine line striping• 4-color process printing• Smooth top-coated decals• Thermal die cuts	1.00 2.00 3.00 4.00 6.00 8.00 10.00 12.00 14.00 18.00 24.00 30.00 48.00	MASU5920125 MASU5920225 MASU5920325 MASU5920425 MASU5920650 MASU5920850 MASU5921050 MASU5921200 MASU5921400 MASU5921800 MASU5922400 MASU5923000 MASU5924800
782U Ultra® Premium Medium Tack Paper 5.4 mil, White Premium Grade Saturated Paper	<ul style="list-style-type: none">• Medium tack heavyweight workhorse; performs well in wet applications• Decals <12" in one dimension including striping• Pre-spaced lettering 2"-12" high• Applications where dimensional stability, humidity resistance or long term storage stability is required	48.00	MASU7824800
792U Ultra® Premium High Tack Paper 5.4 mil, White Premium Grade Saturated Paper	<ul style="list-style-type: none">• Large top-coated decals• 4-color process printed decals• Very small pre-cut lettering• Intricate logos• Fine line striping, plotter and die cut• Applications where dimensional stability, humidity resistance or long term storage stability is required	3.00 6.00 9.00 12.00 24.00 30.00 48.00	MASU7920300 MASU7920600 MASU7920900 MASU7921200 MASU7922400 MASU7923000 MASU7924800
1310 Ultra® Clear Medium Tack Clear Film 3.8 mil, Clear Polypropylene Film <ul style="list-style-type: none">• Unique clear film backing with a custom formulated adhesive• Superior adhesion to liner, no tunneling, no haze, non-yellowing• Dimensional stability and tears easily• Does not grab banner material or corrugated plastic	<ul style="list-style-type: none">• Multiple color overlays requiring precise registration on both cast & calendered film• Pre-spaced lettering 2-12" high• Decals or lettering <12" in one dimension• Fine line striping• Decal transfer and pre-spacing where precise registration is required	48.00	MAS13104800
510U Ultra® AIRMASK™ High Tack Clear Film 4.3 mil, Clear Polypropylene Film <ul style="list-style-type: none">• Unique clear film application tape• Formulated Latex Pressure sensitive adhesive	<ul style="list-style-type: none">• AirMask is a unique premask with an affinity for air-release liners• Releases cleanly and easily upon installation• Decal transfer and prespacing where precise registration is required	48.00 54.00 60.00	MASU5104800 MASU51054100 MASU51060100

All rolls are 100 yards in length unless indicated otherwise
48" Application Tape slit to your specifications (maximum 12 slits) at no additional charge



QUALITY PREMASK & APPLICATION TAPES



Description	Applications	Width (in inches)	Part No.
1504 Film Tape Low Tack Clear Film 4.6 mil, Clear Polypropylene Film <ul style="list-style-type: none">• Unique clear film application tape with low stretch, dimensional stability• Resists stretching, folding or sagging during installation• Resistant to moisture under long storage conditions	<ul style="list-style-type: none">• Pre-spaced lettering and one-piece decals >12" in one dimension• Fine, detailed inlay or overlay decals where precise registration is required	48.00	MAS15044800
1510 Film Tape Medium Tack Clear Film 4.6 mil, Clear Polypropylene Film (Same as 1504 Above)	<ul style="list-style-type: none">• Pre-spaced lettering 2-12" high• Decals or lettering <12" in one dimension• Drop shadows and multi-color alignments• Fine line striping• Nameplate applications	3.00 (50yd) 6.00 (50yd) 9.00 (50yd) 12.00 (50yd) 24.00 (50yd) 30.00 (50yd) 48.00 (50yd)	MAS15100350 MAS15100650 MAS15100950 MAS15101250 MAS15102450 MAS15103050 MAS15104850
6882 ProtectRite® Premium Digital Application Tape Medium Tack Heavy Paper 5.7 mil, Heavyweight Paper White saturated paper backing with specially formulated pressure sensitive adhesive system <ul style="list-style-type: none">• Greater dimensional stability• Greater humidity resistance• Greater versatility - the "workhorse"	<ul style="list-style-type: none">• Specially designed for inkjet graphics• Provides protection from scratching during storage, transport, and/or wrinkle-free installation of digital graphics.	3.00 6.00 9.00 12.00 24.00 30.00 48.00 54.00 60.00	MAS68820300 MAS68820600 MAS68820900 MAS68821200 MAS68822400 MAS68823000 MAS68824800 MAS688254100 MAS688260100
6560 ProtectRite® Digital Application Tape Low Tack Standard Paper 4.3 mil, Light-weight Paper Saturated Paper backing with latex adhesive <ul style="list-style-type: none">• Releases cleanly after installation• Economically priced, low-tack solution	<ul style="list-style-type: none">• Specially designed for inkjet graphics• Provides protection from scratching during storage, transport, and/or wrinkle-free installation of digital graphics.	48.00 60.00	MAS65604800 MAS656060100

All rolls are 100 yards in length unless indicated otherwise
48" Application Tape slit to your specifications (maximum 12 slits) at no additional charge



TRIM USA PREMIUM CUSTOM BANNERS

Nylon webbing rope sewn into the full length of the banner for strength (optional)

Lock-stitch hem sewn twice

FEATURES & BENEFITS

- Custom Shapes and Sizes Built to Your Specifications
- Extra Large, Multi-Paneled with Heat Sealed Seams
- High Quality Fabrics and Construction
- Durable, Reliable and Versatile
- Mildew Resistant and UV Stable
- Flame Retardant (meets California Fire Marshal code)
- Extensive Materials and Colors to Choose From!
- Premium Custom Banner Blanks can be made from all Roll Goods Materials!

CUSTOMIZING CAPABILITIES

- Multi-Color Banners
- Extra Large Banners
- Sign Covers
- Unique Applications
- Heat Sealing Capabilities
- Extra Grommets
- Extra Rope
- "D" Rings
- Reinforced Corners



Large brass grommets

No pucker hem

Trim USA Premium Custom Banner Blanks and Roll Goods

14oz Premium Banner Material

Banner Blanks and Roll Goods

Description: A 14oz, high gloss, versatile material specifically designed for longer term performance. Available in ten standout colors. May be screen printed. Meets California Fire Marshal Codes.

Banner Blank Options: Extra Grommets, "D" Rings, Extra Rope, Reinforced Corners. Premium Custom Banner Blanks can be made from all Roll Goods Materials!

SOLD BY THE YARD OR FULL ROLL

Color	Width (Before Hem)
01 White	36", 61", 72"
05 Blue	61"
11 Black	61"
14 Gray	61"
15 Dark Green	61"
02 Red	61"
13 Ivory	61"
09 Yellow	61"
16 Dark Blue	61"
03 Green	61"

10oz Banner Material

Banner Blanks and Roll Goods

Description: A 10oz, high gloss, versatile material. Provides excellent performance at an economical price. Specifically designed to accept pressure sensitive vinyl lettering, graphics, and screenprint inks. Vinyl letters stick aggressively. Available in ten colors. Meets California Fire Marshal Codes.

Banner Blank Options: Extra Grommets, "D" Rings, Extra Rope, Reinforced Corners. Premium Custom Banner Blanks can be made from all Roll Goods Materials!

SOLD BY THE FULL ROLL ONLY

Color	Width (Before Hem)
80 Black	24", 36", 48", 72"
81 White	24", 36", 48", 72"
82 Red	24", 36", 48", 72"
85 Blue	24", 36", 48", 72"
89 Yellow	24", 36", 48", 72"
71 Gray	36", 72"
72 Burgundy	36", 72"
73 Purple	36", 72"
74 Teal	36", 72"
83 Green	36", 72"

16oz White Blackout

Banner Blanks and Roll Goods

Description: A 16oz, white, tough and durable material, specifically designed to accept pressure sensitive vinyl and solvent based screenprint inks. Meets California Fire Marshal Codes.

Banner Blank Options: Extra Grommets, "D" Rings, Extra Rope, Reinforced Corners. Premium Custom Banner Blanks can be made from all Roll Goods Materials!

SOLD BY THE YARD OR FULL ROLL

Color	Width (Before Hem)
31 White	36", 54", 72"

13oz White Double Sided

Banner Blanks and Roll Goods

Description: A 13oz, white, opaque, versatile material, smooth on both sides, designed for vinyl lettering and solvent based screenprint inks. Meets California Fire Marshal Codes. Recommended for indoor use only.

Banner Blank Options: Extra Grommets, "D" Rings, Extra Rope, Reinforced Corners. Premium Custom Banner Blanks can be made from all Roll Goods Materials!

SOLD BY THE YARD OR FULL ROLL

Color	Width (Before Hem)
41 White	36", 54", 72"

10oz Metalized Polyester

Banner Blanks and Roll Goods

Description: A 10oz, Chrome or Gold, metalized polyester laminate material producing an exciting visual presentation. Ideal for screenprinting and vinyl graphics. Meets California Fire Marshal Codes.

Banner Blank Options: Extra Grommets, "D" Rings, Extra Rope, Reinforced Corners. Premium Custom Banner Blanks can be made from all Roll Goods Materials!

SOLD BY THE YARD OR FULL ROLL

Color	Width (Before Hem)
46 Chrome	54"
99 Gold	54"

Trim USA Economy Banner Blanks

10oz Economy Banner Blanks

Pre-Made, Same Day Shipping!

Description: A 10oz, high gloss, versatile material finished with a one inch no-pucker hem and grommets approximately every 3 feet or less. Provides excellent performance at an economical price. Specifically designed to accept pressure sensitive vinyl lettering, graphics, and screenprint inks. Vinyl letters stick aggressively. Meets California Fire Marshal Codes.

Color	
80 Black	
81 White	
82 Red	
85 Blue	
89 Yellow	
All Five (5) Colors Shown Are Available in the Following Sizes (Before Hem):	
2 x 4	3 x 5
2 x 6	3 x 6
2 x 8	3 x 8
2 x 10	3 x 10
	3 x 12
	3 x 15

14oz Pre-Made Banner Blanks (White Only)

Pre-Made, Same Day Shipping!

Description: A 14oz, white, pre-made versatile banner. Provides excellent performance at an economical price. Specifically designed to accept pressure sensitive vinyl lettering, graphics, and screenprint inks. Vinyl letters stick aggressively. Meets California Fire Marshal Codes.

Color	Size (Before Hem)
01 White	3x6
	3x8
	3x10
	3x12
	3x15





RESIN (DC-300) THERMAL TRANSFER RIBBONS FOR THE GERBER EDGE® AND EDGE 2® PRINTERS

Made in the USA by IIMAK, the leading manufacturer of color resin thermal transfer ribbons. We offer a complete range of ribbon options for your Gerber Edge® printer.



Durable Prints and Vibrant Colors!



DuraCoat End-\$ense® Indicator.

Advantages of DURACOAT Thermal Transfer Ribbons

Low Price: Save up to 40% off Gerber (OEM) list prices!

Choice of Lengths: 25, 55, or 100 yards in Cartridges and Refills. Purchase only the amount you need.

Rugged Refill Cartridge & Cost Savings Refills: Cartridge design allows even deeper cost-savings by purchasing DuraCoat refills.

End-\$ense® Indicator: Visually identifies amount of remaining ribbon, with a red warning track signaling when only 5 yards are left. Never run out of ribbon in the middle of a print run again!

Process Colors: 30 of the most vibrant, popular colors used in the industry. Continues to outperform the competition in print quality and durability.

Detail Prints: Excellent detail, fine line and halftone graphics.

Media Compatibility: Wide media brand acceptance, including aftermarket media such as vinyl, polyester, polycarbonate, magnetic, reflectives, window films, and more!

Print Head Protection: Exclusive anti-static ribbon backcoat helps reduce particle attraction during the printing process – the leading cause of print head damage. Exclusive backcoat allows ribbon to slide cleanly beneath printhead without generating static, another cause of printhead failure.

Print Head Cleaner: Every DuraCoat ribbon is supplied with a FREE print head cleaner!

Durability: UV, Chemical, & Weather resistant to rain, fog, smog, and sleet resulting in 3-5 years outdoor life.

Super Opaque White: Brightest opaque white in a single pass - Reduce the need to “double-bump”.

Super Opaque Black: Ideal for printing films for screen-printing (film positives) or when a very opaque black when printing on clear films is needed.

UV-Guard®: Optically clear finishing ribbon increases UV resistance to your output.

Ultra UV Process Yellow: A 2nd Process Yellow developed with additional UV stability - up to 4 years outdoor durability.

DURACOAT® product features presented in this catalog had originated from the most current DURACOAT® Product Bulletins available at the time of publication, which is subject to change. For current product information, consult with your Trim USA Sales Representative or refer to the DURACOAT® Product Information found at: www.duracoatribbons.com.

DURACOAT® Thermal Transfer Ribbons

Product Selection

CALL 1-800-642-0959 FOR QUOTES.

PROCESS COLORS	25yd. Cartridge	25yd. Refill	55yd. Cartridge	55yd. Refill	100yd. Cartridge	100yd. Refill	(4) 100yd. Rolls Value Pack Refills
Process Black	N/A	N/A	K1S	K1SR	K1	K1R	K1R4PACK
Process Cyan	N/A	N/A	C1S	C1SR	C1	C1R	C1R4PACK
Process Magenta	N/A	N/A	M1S	M1SR	M1	M1R	M1R4PACK
Process Yellow	N/A	N/A	Y1S	Y1SR	Y1	Y1R	Y1R4PACK
Ultra UV Yellow	N/A	N/A	Y4S	Y4SR	Y4	Y4R	N/A
Value Pack of All 4 Process Colors	N/A	N/A	N/A	N/A	N/A	N/A	CMYKR4PACK
SPOT COLORS							
Black	N/A	N/A	K3S	K3SR	K3	K3R	K3R4PACK
Super Opaque Black	N/A	N/A	FPS	FPSR	FP	FPR	FPR4PACK
Super Opaque White	N/A	N/A	W2S	W2SR	W2*	W2R*	W2R4PACK
Intense Red	N/A	N/A	R6S	R6SR	R6	R6R	R6R4PACK
Ruby Red	N/A	N/A	R2S	R2SR	R2	R2R	R2R4PACK
Tomato Red	N/A	N/A	R3S	R3SR	R3	R3R	R3R4PACK
Burgundy	N/A	N/A	R4S	R4SR	R4	R4R	N/A
Sapphire Blue	N/A	N/A	B3S	B3SR	B3	B3R	B3R4PACK
Bright Blue	B4A	B4AR	N/A	N/A	B4	B4R	N/A
Blue	N/A	N/A	B1S	B1SR	B1	B1R	N/A
Olympic Blue	N/A	N/A	B6S	B6SR	B6	B6R	N/A
Ocean Blue	B2A	B2AR	N/A	N/A	N/A	B2R	N/A
Reflex Blue	B5A	B5AR	N/A	N/A	N/A	B5R	N/A
Leaf Green	N/A	N/A	G4S	G4SR	G4	G4R	G4R4PACK
Forest Green	G2A	G2AR	N/A	N/A	N/A	G2R	N/A
Pine Green	G3A	G3AR	N/A	N/A	N/A	G3R	N/A
Green	G1A	G1AR	N/A	N/A	N/A	G1R	N/A
Yellow	N/A	N/A	Y5S	Y5SR	Y5	Y5R	N/A
Golden Yellow	N/A	N/A	Y3S	Y3SR	Y3	Y3R	N/A
Sunflower Yellow	N/A	N/A	Y2S	Y2SR	Y2	Y2R	N/A
Orange	R1A	R1AR	N/A	N/A	N/A	R1R	N/A
Dark Gray	N/A	N/A	K5S	K5SR	K5	K5R	N/A
Gray	K4A	K4AR	N/A	N/A	N/A	K4R	N/A
SPECIALTY							
UV-Guard Gloss Finish	N/A	N/A	UVS	UVSR	UV	UVR	UVR4PACK
METALLICS (recommended for indoor use only)							
Silver	S1S	S1SR	S1	S1R	N/A	N/A	N/A
Gold	D1S	D1SR	D1	D1R	N/A	N/A	N/A



*Actual Length of Super Opaque White 80yds (not 100yds) due to mil thickness of white pigment on polyester carrier ribbon.

IIMAK and DuraCoat® are registered trademarks of International Imaging Materials, Inc. Gerber EDGE®, EDGE 2®, and EDGE FX™ are registered trademarks of Gerber Scientific Products, Inc.

Actual film color may vary slightly from printed representations shown.

SIGN MAKING TOOLS AND SUPPLIES

There are sign making tools that are necessary and should be in every vinyl installer's toolbox, such as a squeegee, a rivet brush, an air release tool, etc. And, there are specialized tools that will help you do your job better, faster, and easier – and could ultimately save you money! Turn to Trim USA to provide you with the sign making tools and supplies you need and can depend on for fast, Professional Results!



APPLICATION TOOLS			
Product		Description	Part No.
3M™ Blue Hand Applicator 1 or 25 Per Pack		Inexpensive, reusable squeegee-type applicator is flexible yet durable when hand applying film or premask.	MMMPA1BLUEA MMMPA1BLUE
3M™ Gold Hand Applicator 1 or 25 Per Pack		Reusable squeegee-type applicator is constructed of durable vinyl. When hand applying film or premask, it is the perfect solution for smooth substrates.	MMMPA1GOLDEA MMMPA1GOLD
3M™ Low Friction Sleeve 100 Per Pack		Reusable paper sleeve slips over the PA-1 applicators (blue or gold) to protect film or markings from scratches.	MMMSA1
3M™ Power Grip Magic Applicator for Comply™ Performance Films 5 Per Pack		Designed only for films with Comply™ performance feature. Applicator makes it easy to cover large areas with a uniform distribution of pressure. Felt wrapped edge disperses air evenly for a virtually bubble-free application, with a comfortable rounded grip.	MMMCPA-1
3M™ Rapid Roller Applicator 1 Per Pack		Used to help apply graphic films.	MMMCPA-2
3M™ Rivet Brush Applicator 1 Per Pack		Makes it easier to install graphics over rivets.	MMMRBA-1
3M™ Power Grip Rivetz Brush Applicator 1 Per Pack		Burnish film over rivets with ease! Large handle grip is comfortable and encourages full arm movement. Stiff bristles allow you to burnish film over rivets faster.	MMMRBA-3
3M™ Hand Roller 1 Per Pack		Use this tool to roll down film and film edges. Made of hard rubber and features a wooden handle. Roller is 2 inches wide.	MMMRHR-2
3M™ Vehicle Channel Applicator 1 Per Pack		Use this tool to help conform heated film into channels commonly found on vehicle bodies.	MMMVCA-2
White Teflon Squeegees Available individually or 10 Per Pack		4" white teflon squeegee. Slides easily on films with no premask and /or laminated films.	SQG1015
Gold Nylon Squeegees Available individually or 10 Per Pack		4" gold nylon squeegee. Works well with premasked films. Edges hold form well and reshape. Can trim edges and reshape as they wear.	SQG1061

APPLICATION TOOLS			
Product		Description	Part No.
3M™ Power Grip Magic Pad Applicator 1 Per Pack		Tool with a foam pad that is helpful for conforming heated film around protrusions, edges and tight areas.	MMMCMP-1
3M™ Air Release Tool 1 Per Pack		Puncture film that has already been applied to substrate to remove entrapped air bubbles.	MMM391X
3M™ Replacement Tip 1 Per Pack		1/2" - For 3M Air Release Tool 13/32" - For 3M Air Release Tool	MMMR12 MMMR1332
3M™ Power Grip Multi-Pin Air Release Tool 1 Per Pack		Tool helps save time during installation because the multiple pins require only a single puncture per rivet. Ergonomically designed grip for added comfort.	MMMMPP-1
3M™ Textured Surface Applicator Large Area Roller		Tool with a heat-resistant foam roller to conform large areas of film onto a textured surface.	MMMTSA-1
3M™ Textured Surface Applicator Mortar Joint Roller		Tool with a heat-resistant foam roller to conform heated film to mortar joints and inside corners.	MMMTSA-2
3M™ Textured Surface Applicator Edge Roller		Tool with a heat-resistant foam roller to conform heated film around cut edges and in corners. Especially useful with mosaic-type applications.	MMMTSA-3
3M™ Installation Kit for Textured Surface Graphics Exclusively for use with 3M™ Scotchcal™ Graphic Film for Textured Surfaces (IJ8624) and 3M™ Scotchcal™ Luster Overlaminate (8524)		Kit Contents: - Steinel® IntelliTemp™ Heat Gun. Precision heat setting control & LCD Temperature Display up to 1150°F. - 3M™ Textured Surface Applicator TSA-1 (Large Area) - 3M™ Textured Surface Applicator TSA-2 (Mortar Joint) - 3M™ Textured Surface Applicator TSA-3 (Edge) - Universal heat-resistant glove - Five, 8"x10" samples of printed film IJ8624 with 8524 overlaminate - 3M DVD: Application Instructions for Textured Wall Graphics - 3M Instruction & Product Bulletins - Durable and attractive metal carrying case	MMMTSKIT
3M™ Two-handed Textured Surface Applicator Large Area Roller		Attach a heat gun to applicator TSA-4 and use the tool to conform large areas of film to a textured surface.	MMMTSA-4

3M™ Tape Primer 94

Description: A tape and adhesives adhesion promoter.

Uses: Used to promote adhesion where vinyl and tapes will be stretched or heated into concave areas and mild contours. Great for use on complex vehicle contours, wrap vinyl, window graphics on vans or buses to prevent edge lifting.

Special Features: Use a quarter-inch flat brush to paint a very thin line of Primer 94 and wait approximately 10 minutes or until tacky before applying vinyl. Works with all brands of vinyl!



Size	Part No.
1/2pt.	MMMPRIMER94

Sold in 1 Case Quantities (12 cans per case), Ground Freight Only (Hazardous Material cannot ship by air freight)

3M™ Edge Sealer 3950

Description: A clear acrylic/vinyl solution in xylene.

Uses: Apply around all exposed edges of film to help prevent the film from lifting due to environmental exposure or cleaning. Use to prevent water wicking at the edges of laminated graphics.

Special Features: Includes felt dauber for application. Resists mild acids, mild alkalis and salts. Excellent water resistance. Works with all brands of vinyl!



Size	Part No.
8oz. Dauber Can	MMM3950

MAGNUM® Flexible Magnetic Sheeting

Description: A 30 mil white opaque, matte face finish, thermoplastic, high-intensity, multi-pole magnetic arrangement, with permanent, standard magnetization on the non-laminated side.

Roll Width	25ft Roll
24-3/8"	MAG43325

Uses: Screen printable. Ideal for removable vehicle graphics, architectural signage, menu boards, display boards, graphics, bin markers, die-cut magnets, hand lettering, hot stamping, advertising specialties, refrigerator magnetics.

Special Features: Flexibility and Toughness! Performs well in adverse weather (such as rain, sleet and snow), and temperatures from -15°F to 160°F. Superior holding power on most metallic surfaces. Holds 85 pounds per square foot, compared to the average magnetic material which holds only 68 pounds per square foot. Close tolerance printability, plus or minus one thousandth inch thickness.

KNIFELESS TAPE

DesignLine Tape

Description: Knife Like Cuts. Allows stretching, follows contours and turns easily in any direction. Excellent for creating designs & stripes with no extra steps required to achieve a perfect cut.

Size	Part No.
1/8" x 164ft	KTSDESIGNLINE

FinishLine Tape

Description: Use for most wrap applications. Conformable around bumpers, door handles, mirrors, etc.

Size	Part No.
1/8" x 164ft	KTSFINISHLINE

BridgeLine Tape

Description: For use between wide gaps like between doors, seams, and rubber seals.

Size	Part No.
1/2" x 164ft	KTSBRIDGELINE

PerfLine Tape

Description: Use with perforated window film for perfect easy cuts every time. After trimmed leaves 1/8" gap to apply seal tape. Great for vehicle and window wraps.

Size	Part No.
1/4" x 164ft	KTSPERFLINE

3M™ Glass Cloth Tape

Description: 3M™ PTFE Glass Cloth Tapes 5151 is constructed using (PTFE) polytetra-fluoroethylene impregnated glass cloth with silicone adhesive.

Size	Part No.
1" x 36yd	MMM5151-1

Uses: Cover Squeegee to help prevent scratching surface.

Special Features: Very low moisture absorption allows the tape to perform in many humid environments. An exceptionally smooth surface and provides non-stick, low friction surface. Silicone adhesive offers high temperature performance and long aging.

CAUTION: When PTFE film tapes are exposed to temperatures about 600°F (316°C), small quantities of hazardous vapors may be released. INHALATION OF THESE VAPORS MAY BE HARMFUL OR MAY CAUSE RESPIRATORY TRACT IRRITATION. Do not heat or expose PTFE film tapes to temperatures above 600°F (316°C).

PERIMETER TRIM SYSTEM®

THE FINISHING TOUCH TO BIG IDEAS


Trim USA's Perimeter Trim System® gives you the ability to quickly, easily and inexpensively install decorative edge protection around your mounted images. This system eliminates the need for hand cutters, rulers and markers, with little training needed to operate.

It gives your mounted images that
*finished touch that adds value
and distinguishes your work!*

Eliminate:
Edge Lift

Dog Ears

Dents









Features & Benefits

Substrate Compatibility	Fome-Cor®, Gatorfoam®, Lexan®, Sintra®, PVC, Plexiglas®, Corex®, Acrylic, Luster Board, Plywood, Omega Sign Board, MDO Board, Jet Mount®, Coroplast, and others!
Sizing Bar and Stops	Unique sizing bar with 2 adjustable sizing stops assures fast "right every time" fold around mitre cuts.
Compensator Block	Patented Feature! Unique compensator block assembly automatically adds removed material amount back into size and setting, eliminating "gaps" at folds.
Cutting Blade	Patented Feature! Unique cutting blade imparts a "score line" to top of lineal during cut, creating a corner that appears completely cut through but is still intact.
Quality Lineals	High Impact ABS plastic extrusions will not shrink or warp.
2 Die Sets	Unique die set interchangeability allows production capability for a wide range of substrate gap widths - 7 in total!
Clean and Quiet	Noiseless and dust free operation eliminates any possible contamination of your workplace, especially when compared to saws.
Stand Alone	Does not require electricity to operate. Can be used anywhere!
Reliability	Works day in and day out with minimal maintenance.
Ease of Shipment	98" length allows lineals to ship by UPS or FedEx, a big savings in freight costs as compared to common carriers.
Unique Competitive Advantage	Sets your work apart from "the competition" by creating a beautiful "finished" appearance.

Design / Print / Mount / Laminate / and NOW... **Protect & Beautify the Edges of Your Mounted Images!**

The Perimeter Trim System® is a great way to add value to your work and increase profits for your company. Create a standard of quality that your customers will come to expect and keep them coming back!

Part No.	Profiles	Color	Tube Qty
PER018046 PER018051 PER018061 PER018065	 1/8" (3mm)	chrome gold black white	60 Sticks
PER316046 PER316051 PER316061 PER316079 PER316082 PER316090 PER316063 PER316065	 3/16" (5mm)	chrome gold black red blue matte black gunmetal white	60 Sticks
PER014046 PER014051 PER014061 PER014065	 1/4" (7mm)	chrome gold black white	60 Sticks
PER038046 PER038051 PER038061 PER038065	 3/8" (10mm)	chrome gold black white	40 Sticks
PER012046 PER012051 PER012061 PER012079 PER012082 PER012090 PER012063 PER012065	 1/2" (13mm)	chrome gold black red blue matte black gunmetal white	30 Sticks
PER1316046 PER1316051 PER1316061 PER1316090 PER1316063 PER1316065	 13/16" (22mm)	chrome gold black matte black gunmetal white	30 Sticks
Part No.			
PERBAR2 PERBAR4 PERBAR8	2' Sizing Bar 4' Sizing Bar 8' Sizing Bar		
PERD1316 PERD183814	Die Set - fits 5/32, 3/16, 1/2, 13/16 Die Set - fits 1/8, 1/4, 3/8		
PER002 PER003 PER010 PER013 PER2000	Bottle Applicator w/tip Replacement Tips - bag of 3 Hanger Assemblies - bag of 200 Anvil Base Lineal Cutters Air Cylinder Upgrade (requires PER1004)		

Note: ABS Perimeter Trim Lineals 98" (248.92cm) in Length

101 Economy Perimeter Trim Machine



Part No.
PERE101

Economy Machine w/D1316 die set, 5ft. sizing bar, aluminum housing and handle w/hardened steel blade.

1004 Pro Perimeter Trim Machine



Part No.
PER1004

Pro Machine w/D1316 and D183814 die sets, 8ft. sizing bar, all steel machine and handle w/hardened steel blade.

2004 Pro Air Perimeter Trim Machine



Part No.
PER2004

Pro Air Machine w/D1316 and D183814 die sets, 8ft. sizing bar, all steel machine and handle w/hardened steel blade, and air cylinder upgrade.

MAJOR VENDOR PRODUCT LOCATOR

AccuCut®

8801.....2	8831.....4	8844.....5
8803.....2	8834.....4	8845.....5
8804.....2	8836.....4	8847.....5
8811.....3	8837.....5	8851.....6
8820.....2	8840.....4	8855.....6
8821.....3	8841.....5	
8825.....3	8843.....5	

3M™

680.....30	3635-20B.....28	IJ180mC-10UR.....15
983.....31	3635-210.....28	IJ180mC-114.....15
1080.....25	3635-222.....28	IJ180mC-114.....15
1170.....30	3635-22B.....28	IJ180mC-120.....15
3470.....23	3635-30.....28	IJ35-10.....12
3475.....23	3635-70.....28	IJ35-20.....12
3630.....27	3635-91.....28	IJ3552C.....16
3645.....18	3662-10.....24	IJ3555.....13
3647.....18	3735-50.....28	IJ35C-10.....13
3690.....24	3735-60.....28	IJ35C-20.....13
3730.....26	40C-10R.....13	IJ36-20.....13
3930.....31	40C-114R.....13	IJ3630-20.....16
3990.....31	40C-20R.....13	IJ3650-10.....15
7125.....22	48C-20R.....13	IJ3650-114.....16
7725.....22	5100R.....30	IJ3730-50.....16
8508.....18	680CR.....30	IJ3730-60.....16
8509.....19	7725SE.....22	IJ46-20.....13
8518.....19	7725SE.....27	IJ51000.....17
8519.....19	780mC-10R.....17	IJ5100R.....17
8520.....19	8170-P40.....16	IJ680-10.....17
8524.....20	8170-P50.....16	IJ680CR-10.....17
8548.....20	CHEV983.....31	IJ8624.....16
8549.....20	FS-1.....32	LX480mC.....15
8600M.....19	IJ160-10.....12	PGIII.....32
8900.....20	IJ160C-10.....12	PPS.....35
8908.....20	IJ162-10.....12	SCPM-3.....33
8909.....20	IJ180-10.....14	SCPM-44X.....33
8914.....20	IJ180C-10.....14	SCPS-2.....33
180mC.....23	IJ180C-LSE.....14	SCPS-55.....33
3500C.....23	IJ180Cv3-10.....14	SV480mC.....15
3632GPS.....27	IJ180mC-10.....14	VHB.....34
3635-100.....28	IJ180-SLS.....14	

LG VIZUON

LD3810G.....36	LD4910M.....37	PB 110B.....38
LD3810M.....36	LD823AG.....37	PB UGS.....39
LD3911M.....36	LG 6000.....38	PB UMS.....39
LD383AG.....37	LP3812G.....37	PB USB.....39
LD383AM.....37	LP3812M.....37	PB XIGN.....39
LD3911G.....36	LP80990G.....37	

Siser

BRICK.....43	COLORPRINT SUBLITHIN.....45	GLITTER.....42
CAD FLEX.....42	EASYWEED.....40	HOLOGRAPHIC.....42
COLORPRINT EASY.....45	EASYWEED ELECTRIC.....41	REFLECTALL.....43
COLORPRINT EXTRA.....44	EASYWEED EXTRA.....41	STRIPFLOCK.....43
COLORPRINT GLITTER.....45	EASYWEED FOIL.....41	SUB BLOCK.....43
COLORPRINT PU GLOSS.....44	EASYWEED GLOW IN THE	TTD.....46
COLORPRINT PU MATTE.....44	DARK.....41	TTDHT.....46
COLORPRINT SOFT.....44	EASYWEED STRETCH.....40	VIDEOFLEX GLITTER.....43
COLORPRINT SOFT OPAQUE.....44	EXTRA REFLEX.....43	

A	
AccuCut.....	2-11
Air Release Tools.....	57
Application Supplies	56-58
Application Tape	33, 48-49
Application Tools.....	56-57
B	
Banner Blanks	53
Banner Rolls	38-39, 52
Banner Accessories	50-51
Banner Material	38-39, 50-53
Banner Pole Kits	53
BigStripe Film	10-11
Blockout Film.....	28
Blue Squeegee	56
C	
Changeable Graphic Film	13, 15-16
Chrome / Metalized Polyester	9
Conspicuity Tape.....	31
Converting Capabilities	65
Custom-Made Blank Banners	50-52, 65
Custom Striping.....	10-11, 65
Customization Capabilities.....	65
D	
Day/Night Film	28
Diamond Grade Conspicuity Markings.....	31
Diffuser Film	28
Dry Erase Laminate	4
Dual-Color Film.....	28
DuraCoat Thermal Transfer Ribbons	54-55
Dusted Crystal Vinyl	27
E	
Economy Banner.....	53
Edge Trimming Machines.....	60
Edge Trimming Lineals/Supplies	60
Edge Sealer	58
Engineer Grade Reflective Film	9, 30
Envision Series	13, 15, 16, 20, 26
Etched Glass Vinyl.....	9

F	
Flexible Engineering Grade Reflective	9, 30
Flexible Magnetic Sheeting	58
Flexible Sign Facing	32
Floor Graphic Vinyl.....	12
Fluorescent Vinyl.....	8, 22
Foam Tape	34
Framing Equipment & Supplies	59-60
Frosted Vinyl	8, 27
G	
Glass Etch Vinyl	9
Glitz & Glitter Laminate	5
Gold Squeegee	56
H, I, J, K	
Hand Roller.....	56-57
Heat Gun	57
High Intensity Grade Reflective Film	31
Installation Tools	56-57
Knifeless Tape.....	58
L	
LG VizuonCal.....	38
LG VizuonPrint	36-37
Laminates: 3M.....	18-20
Laminates: AccuCut	4-6
Laminates: LG.....	37
Light Blockout Film	28
Light Control Diffuser Film	28
Light Enhancement Film	28
Light Management Film	28
Lineals.....	60
Low Friction Squeegee Sleeve	56
M, N	
Magnetic Sheeting.....	58
Magnum Magnetics	58
Metalized Polyester/ Chrome	9
Metalized Polyester Banner Material	52
Neon Vinyl	8
O	
Overlaminates: 3M.....	18-20
Overlaminates: AccuCut	4-6
Overlaminates: LG.....	37

P, Q	
PPS-Paint Preparation System (3M)	35
Paint Mask Vinyl	9
Paint Preparation System-PPS (3M)	35
Panagraphics III (3M)	32
Perforated Window Film	16
Perimeter Trim System.....	59-60
Plotter Cut Films: 3M	21-24
Plotter Cut Films: AccuCut.....	7-9
Plotter Cut Films: LG	38
Pole Banner Kits	53
Poly Banner	38-39
Polypropylene Dry Erase Laminate	4
Pre-Made Banner Blanks	53
Premium Custom Banner	50-52
Pressure Sensitive Vinyl: 3M	22
Pressure Sensitive Vinyl: AccuCut.....	7-9
Pressure Sensitive Vinyl: LG	38
Primer 94 (3M)	58
R	
Ready-Made Banner Rolls.....	52
Ready-Made Banner Blanks.....	53
Reflective Vinyl	3, 9, 11, 17, 29, 30, 31
Rivet Brushes	56
Roll Banner	52
S	
Sidewalk Graphic Laminate	18
Sidewalk Graphic Vinyl.....	24
Sign Making Tools & Supplies	56-58
Slip Resistant Laminate	4, 18
Solvent Inkjet Banner Material: PB	38-39
Solvent Inkjet Media: Accucut	2-4
Solvent Inkjet Media: 3M.....	12-17
Solvent Inkjet Media: LG	36-37
Special Effects Film	22, 27-28
Squeegee	56
Squeegee Sleeve	56
Steinel IntelliTemp Heat Gun	57
Stripe Film	10-11, 31

T	
Tape: Application Tape	48-49
Tape: VHB Tape	34
Tape Primer 94 (3M)	58
Textured Surfaces Film	16
Textured Surfaces Laminate.....	20
Textured Surfaces Tools	57
Thermal Transfer Ribbons	54-55
Tools & Supplies	56-58
TransferRite	48-49
Translucent Vinyl.....	3, 16, 26-27, 37
Trim USA General Information	64
U, V	
Ultra Metallic Vinyl	8
VHB Tape	34
Vehicle Channel Applicator Tool.....	56
VizuonCal (LG)	38
VizuonPrint (LG)	36-37
W, X, Y, Z	
Window Perf Film.....	16



Trim USA® GENERAL INFORMATION

OUR PROMISE: We will give you, our customer, a high quality product at a reasonable price. We promise prompt service-second to none. We care deeply about the success of our customers and will be a resource for you to call upon when special needs arise.

SHIPPING: SAME DAY SHIPPING!!! If you call before 3:00 PM, we will ship your order, if in stock, on UPS that day. Orders called in after 3:00PM cannot be guaranteed to ship the same day. Custom products and special orders may take extra time – please allow for this with your customer. Back orders will be shipped as soon as possible unless canceled by the buyer.

PRICES: Call Trim USA Customer Service at 1-800-642-0959 for current price and product availability information.

TERMS: All initial orders will be handled on a C.O.D. or credit card basis. UPS's C.O.D. charge will apply. Application for credit can be made through Trim USA home office. Accounts are due and payable net 30 days from invoice date. Invoices are faxed or mailed within 3 days of shipment. A courtesy statement is mailed the first of each month. Past due accounts are subject to a monthly service charge of 2%. Accounts more than 30 days past due will automatically be put on a C.O.D. basis until the account is paid in full. Accounts 60 days past due will be turned over for collection.

RETURNED CHECKS: There will be a \$20.00 service charge on all returned checks. The account will automatically go to a CASH ONLY basis upon the receipt of 2 returned checks. We prosecute worthless checks to the fullest extent of the law.

CLAIMS: Claims for shortage or error in shipment must be made within one week of receipt of goods. Claims for damage or loss in transit must be made directly with the carrier.

RETURNS: All sales are considered final. Merchandise must be authorized for return with an RGA number from the home office. The claim must be made within 10 days from the receipt of goods. Unauthorized or collect returns will be refused. Only merchandise shipped in error or with manufacturing defects will be exchanged or refunded. Merchandise must be in the original package and in good, reasonable condition. A restocking fee of 20% will be charged on returned items. Freight charges are not refundable. Special orders are not returnable.

MANUFACTURERS WARRANTY: Materials are warranted to be free from defect in material and workmanship. Any material shown to our satisfaction to be defective at the time of sale will be replaced without charge. Neither the manufacturer or Trim USA, Inc. are responsible for claims beyond replacement of material. All information, specifications, recommendations and descriptive material distributed by Trim USA, Inc., are based on research and believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the materials for their purposes. No salesperson, representative or agent is authorized to give any guarantee, warrant, or make any representation contrary to the foregoing.



Trim USA® CUSTOMIZATION & CONVERTING CAPABILITIES

Talk with Trim USA's knowledgeable Sales and Customer Service Team about fabricating materials to meet your specific requirements.

- Premasking
- Custom Slitting
- Precision Slitting
- Custom Configured Rotary Slitting (BigStripe®)
- Laminating
- 3M™ Certified Warranted Seaming Contractor
- Custom Seaming
- Custom Sewing
- Custom Sewn Banners & Sign Covers
- Large / Oversized Banners

We offer the very best in

- Technical Product Assistance
- Wide Product Selection
- Quality in Construction
- Accuracy in Product & Delivery
- Professional and Friendly Customer Care Team
- Creative SOLUTIONS!



Lab Testing



BigStripe®

3M® Certified
Warranted Seaming
Contractor

Call Trim USA at 800.642.0959 for details!

TOLL FREE
800.642.0959

FAX 336.983.4582
LOCAL 336.983.2775
www.trimusa.com

Trim
USA

3105 Big Oaks Drive, Tobaccoville, NC 27050
705 Plum Industrial Court, Pittsburgh, PA 15239

©TRIM USA, INC
Part No. 050108

SOLUTIONS